

2014

product information



finer detail

STORAGE SOLUTIONS	4-35
WASTE BINS	36-45
TAMBOURS	46-53
RUNNERS, FITTINGS & ACCESSORIES	54-67
LED LIGHTS	68-71
WARDROBE SOLUTIONS	72-77
HANDLES	78-115
CHAIRS & STOOLS	116-120

contents

storage solutions

to
storage solutions



NEW



INFINITY PLUS PULL-OUT LARDER

- white solid base basket with flat chrome wire surround
- with soft-close runner
- minimum internal installation depth 505mm
- available in 300, 400, 450, 500 and 600mm widths
- available for heights from 675–2180mm
- 150kg load capacity on mid-height and tall larders
- 110kg load capacity on base height larder
- 4 front fixing brackets on tall larder
- baskets fit to frame with clip-on anti-tip security bracket
- central carcass legs required under a 500mm and 600mm wide larder



picture shows INFINITY PLUS basket

Frame height (mm)	675 – 720	720 – 955	1215 – 1515	1615 – 1850	1850 – 1915	1880 – 2180
	2 baskets 2 brackets	3 baskets 2 brackets	4 baskets 3 brackets	5 baskets 3 brackets	6 baskets 4 brackets	6 baskets 4 brackets
Unit width						
300mm basket w. 230 bracket w. 250	255C05N2PLUS	255C05N3PLUS	255B05N4PLUS	255M05N5PLUS	255M05N6PLUS	255A05N6PLUS
400mm basket w. 330 bracket w. 350	255C09N2PLUS	255C09N3PLUS	255B09N4PLUS	255M09N5PLUS	255M09N6PLUS	255A09N6PLUS
450mm basket w. 380 bracket w. 400	255C11N2PLUS	255C11N3PLUS	255B11N4PLUS	255M11N5PLUS	255M11N6PLUS	255A11N6PLUS
500mm basket w. 430 bracket w. 450	255C13N2PLUS	255C13N3PLUS	255B13N4PLUS	255M13N5PLUS	255M13N6PLUS	255A13N6PLUS
600mm basket w. 530 bracket w. 550	255C15N2PLUS	255C15N3PLUS	255B15N4PLUS	255M15N5PLUS	255M15N6PLUS	255A15N6PLUS

INFINITY PULL-OUT LARDER

- white solid base basket with chrome wire surround
- with soft-close runner
- minimum internal installation depth 505mm
- available in 300, 400, 450, 500 and 600mm widths
- available for heights from 675–2180mm
- 150kg load capacity on mid-height and tall larders
- 110kg load capacity on base height larder
- 4 front fixing brackets on tall larder
- baskets fit to frame with clip-on anti-tip security bracket
- central carcass legs required under a 500mm and 600mm wide larder



picture shows INFINITY basket




Frame height (mm)	675 – 720	720 – 955	1215 – 1515	1615 – 1850	1850 – 1915	1880 – 2180
	2 baskets 2 brackets	3 baskets 2 brackets	4 baskets 3 brackets	5 baskets 3 brackets	6 baskets 4 brackets	6 baskets 4 brackets
Unit width						
300mm basket w. 230 bracket w. 250	255C05N2i	255C05N3i	255B05N4i	255M05N5i	255M05N6i	255A05N6i
400mm basket w. 330 bracket w. 350	255C09N2i	255C09N3i	255B09N4i	255M09N5i	255M09N6i	255A09N6i
450mm basket w. 380 bracket w. 400	255C11N2i	255C11N3i	255B11N4i	255M11N5i	255M11N6i	255A11N6i
500mm basket w. 430 bracket w. 450	255C13N2i	255C13N3i	255B13N4i	255M13N5i	255M13N6i	255A13N6i
600mm basket w. 530 bracket w. 550	255C15N2i	255C15N3i	255B15N4i	255M15N5i	255M15N6i	255A15N6i



TITAN PULL-OUT LARDER

- chrome wire basket
- with gas piston giving soft-open/soft-close action
- minimum internal installation depth 500mm
- available in 300, 400, 450, 500 and 600mm widths
- available for heights from 675–2180mm
- 150kg load capacity on mid-height and tall larders
- 110kg load capacity on base height larder
- 4 front fixing brackets on tall larder
- baskets fit to frame with clip-on anti-tip security bracket
- central carcass legs required under a 500mm and 600mm wide larder




picture shows chrome wire basket

BOTTLE HOLDER 065B

- can be clipped together to enable a number of bottle holders to be used in the same basket



Frame height (mm)	675 – 720	720 – 955	1215 – 1515	1615 – 1850	1850 – 1915	1880 – 2180
	2 baskets 2 brackets	3 baskets 2 brackets	4 baskets 3 brackets	5 baskets 3 brackets	6 baskets 4 brackets	6 baskets 4 brackets
Unit width						
300mm basket w. 230 bracket w. 250	256C05N2T	256C05N3T	256B05N4T	256M05N5T	256M05N6T	256A05N6T
400mm basket w. 330 bracket w. 350	256C09N2T	256C09N3T	256B09N4T	256M09N5T	256M09N6T	256A09N6T
450mm basket w. 380 bracket w. 400	256C11N2T	256C11N3T	256B11N4T	256M11N5T	256M11N6T	256A11N6T
500mm basket w. 430 bracket w. 450	256C13N2T	256C13N3T	256B13N4T	256M13N5T	256M13N6T	256A13N6T
600mm basket w. 530 bracket w. 550	256C15N2T	256C15N3T	256B15N4T	256M15N5T	256M15N6T	256A15N6T



unit width	reference
300mm	05GLM
400mm	09GLM
450mm	11GLM
500mm	13GLM
600mm	15GLM

NON-SLIP GREY MAT

- single graphite grey mat for 500mm deep larder basket
- rigid laser-cut for precise fit

STANDARD PULL-OUT LARDER

- chrome wire basket
- with gas piston giving soft-open/soft-close action
- 110kg runner
- minimum internal installation depth of 450 or 500mm
- available in 300, 400, 450, 500 and 600mm widths
- available in heights from 675 – 2180mm with 450mm deep runner
- available in heights from 1215 – 2180mm with 500mm deep runner
- 3 or 4 front fixing brackets
- baskets fit to frame with clip-on anti-tip security bracket
- central carcass legs required under a 500mm and 600mm wide larder

BOTTLE HOLDER 065B

- can be clipped together to enable a number of bottle holders to be used in the same basket



NON-SLIP GREY MAT

- single graphite grey mat for 500mm deep larder basket
- rigid laser-cut for precise fit



unit width	reference
300mm	05GLM
400mm	09GLM
450mm	11GLM
500mm	13GLM
600mm	15GLM



Frame height (mm)		675 – 720	720 – 955	1215 – 1515	1615 – 1850	1850 – 1915	1880 – 2180	1880 – 2180
		2 baskets 2 brackets	3 baskets 2 brackets	4 baskets 3 brackets	5 baskets 3 brackets	6 baskets 4 brackets	5 baskets 3 brackets	6 baskets 4 brackets
Unit width	Unit depth							
300mm basket w. 230 bracket w. 250	450mm	256C05P2S	256C05P3S	256B05P4S	256M05P5S	256M05P6S	256A05P5S	256A05P6S
	500mm	N/A	N/A	256B05N4S	256M05N5S	256M05N6S	256A05N5S	256A05N6S
400mm basket w. 330 bracket w. 350	450mm	256C09P2S	256C09P3S	256B09P4S	256M09P5S	256M09P6S	256A09P5S	256A09P6S
	500mm	N/A	N/A	256B09N4S	256M09N5S	256M09N6S	256A09N5S	256A09N6S
450mm basket w. 380 bracket w. 400	450mm	256C11P2S	256C11P3S	256B11P4S	256M11P5S	256M11P6S	256A11P5S	256A11P6S
	500mm	N/A	N/A	256B11N4S	256M11N5S	256M11N6S	256A11N5S	256A11N6S
500mm basket w. 430 bracket w. 450	450mm	256C13P2S	256C13P3S	256B13P4S	256M13P5S	256M13P6S	256A13P5S	256A13P6S
	500mm	N/A	N/A	256B13N4S	256M13N5S	256M13N6S	256A13N5S	256A13N6S
600mm basket w. 530 bracket w. 550	450mm	256C15P2S	256C15P3S	256B15P4S	256M15P5S	256M15P6S	256A15P5S	256A15P6S
	500mm	N/A	N/A	256B15N4S	256M15N5S	256M15N6S	256A15N5S	256A15N6S

NEW



INFINITY PLUS 200mm PULL-OUT LARDER

- white solid base baskets with flat chrome wire surround
- minimum cabinet width 190mm
- front bracket width 148mm
- basket width 130mm
- 110kg soft-close runner
- centrally mounted frame
- minimum internal installation depth of 500mm
- height 1880 – 2180mm
- 3 front fixing brackets
- baskets fit to frame with clip-on anti-tip security bracket

unit width	basket type	reference
min. 190mm	white solid base with flat chrome wire	25800312PLUS

NEW



INFINITY 200mm PULL-OUT LARDER

- white solid base baskets with chrome wire surround
- minimum cabinet width 190mm
- front bracket width 148mm
- basket width 130mm
- 110kg soft-close runner
- centrally mounted frame
- minimum internal installation depth of 500mm
- height 1880 – 2180mm
- 3 front fixing brackets
- baskets fit to frame with clip-on anti-tip security bracket

unit width	basket type	reference
min. 190mm	white solid base with chrome wire	258AI00112

TITAN 150mm PULL-OUT LARDER

- for 150mm wide unit
- front bracket width 98mm
- 5 chrome wire baskets
- basket width 110mm
- 110kg soft-close runner
- centrally mounted frame
- minimum internal installation depth of 500mm
- height 1880 – 2180mm
- 3 front fixing brackets
- baskets fit to frame with clip-on anti-tip security bracket

unit width	basket type	reference
150mm	chrome wire	258A00112

BOTTLE DIVIDER 065D

- pack of 4 bottle divider accessory
- optional extra



NEW




150mm TALL PULL-OUT

- tall narrow pull-out with full extension soft-close runners
- minimum internal installation depth 505mm
- runners on left side
- kit made up from 2 mechanisms, each with 2 runners and 4 baskets
- individual mechanism dimensions 110w x 500d x 850h
- complete set dimensions 110w x 500d x 1700h
- load capacity 12kg per mechanism – total 24kg
- tray and divider accessories available as optional extra

item	reference
150mm tall pull-out	24900312

DRIP TRAY 055V

- grey plastic tray accessory
- optional extra



NEW



INFINITY PLUS TANDEM DISPENSER – TALL

- white solid base basket with flat chrome wire surround
- with gas piston giving soft-open/soft-close action
- front half attaches to door, back pulls forward on opening
- 50kg rear loading, 30kg on door
- mechanism depth 470mm
- mechanism height 1800mm
- minimum internal installation depth 475mm
- available for 450, 500 and 600mm wide units
- comes complete with 6 sets of baskets
- universal fixing
- requires 170° hinges on the cabinet

unit width	basket type	reference
450mm	white solid base with flat chrome wire	230A00312PLUS
500mm	white solid base with flat chrome wire	230A00512PLUS
600mm	white solid base with flat chrome wire	230A00412PLUS

NEW



INFINITY PLUS TANDEM DISPENSER – MID HEIGHT

- white solid base basket with flat chrome wire surround
- with gas piston giving soft-open/soft-close action
- front half attaches to door, back pulls forward on opening
- 50kg rear loading, 30kg on door
- mechanism depth 470mm
- mechanism height 1215mm
- minimum internal installation depth 475mm
- available for 450, 500 and 600mm wide units
- comes complete with 4 sets of baskets
- universal fixing
- requires 170° hinges on the cabinet

unit width	basket type	reference
450mm	white solid base with flat chrome wire	230B00312PLUS
500mm	white solid base with flat chrome wire	230B00612PLUS
600mm	white solid base with flat chrome wire	230B00412PLUS

INFINITY TANDEM DISPENSER – TALL

- white solid base basket with chrome wire surround
- with gas piston giving soft-open/soft-close action
- front half attaches to door, back pulls forward on opening
- 50kg rear loading, 30kg on door
- mechanism depth 470mm
- mechanism height 1800mm
- minimum internal installation depth 475mm
- available for 450, 500 and 600mm wide units
- comes complete with 6 sets of baskets
- universal fixing
- requires 170° hinges on the cabinet

unit width	basket type	reference
450mm	white solid base with chrome wire	230AI0112
500mm	white solid base with chrome wire	230AI0212
600mm	white solid base with chrome wire	230AI0312



INFINITY TANDEM DISPENSER – MID HEIGHT

- white solid base basket with chrome wire surround
- with gas piston giving soft-open/soft-close action
- front half attaches to door, back pulls forward on opening
- 50kg rear loading, 30kg on door
- mechanism depth 470mm
- mechanism height 1215mm
- minimum internal installation depth 475mm
- available for 450, 500 and 600mm wide units
- comes complete with 4 sets of baskets
- universal fixing
- requires 170° hinges on the cabinet

unit width	basket type	reference
450mm	white solid base with chrome wire	230BI0112
500mm	white solid base with chrome wire	230BI0212
600mm	white solid base with chrome wire	230BI0312





TANDEM DISPENSER – TALL

- with gas piston giving soft-open/soft-close action
- front half attaches to door, back pulls forward on opening
- 50kg rear loading, 30kg on door
- mechanism depth 470mm
- mechanism height 1800mm
- minimum internal installation depth 475mm
- available for 450, 500 and 600mm wide units
- comes complete with 6 sets of chrome wire baskets
- universal fixing
- requires 170° hinges on the cabinet

unit width	basket type	reference
450mm	chrome wire	230A0112
500mm	chrome wire	230A0512
600mm	chrome wire	230A0212




TANDEM DISPENSER – MID HEIGHT

- with gas piston giving soft-open/soft-close action
- front half attaches to door, back pulls forward on opening
- 50kg rear loading, 30kg on door
- mechanism depth 470mm
- mechanism height 1215mm
- minimum internal installation depth 475mm
- available for 450, 500 and 600mm wide units
- comes complete with 4 sets of chrome wire baskets
- universal fixing
- requires 170° hinges on the cabinet

unit width	basket type	reference
450mm	chrome wire	230B0112
500mm	chrome wire	230B0612
600mm	chrome wire	230B0212

INFINITY PLUS PULL-OUT BASKET

- white solid base basket with flat chrome wire surround
- to be used with hinged door
- 30kg full-extension runner with soft-close
- side adjustment to accommodate carcass thickness from 16mm to 20mm
- minimum internal installation depth of 505mm
- available in 300, 400, 450, 500 and 600mm widths
- height 180mm
- order individually to suit customer requirements



picture shows Infinity Plus basket

NEW




unit width	inst. depth	basket height	reference
300mm	505mm	180mm	119I02112PLUS
400mm	505mm	180mm	119I02212PLUS
450mm	505mm	180mm	119I02312PLUS
500mm	505mm	180mm	119I02412PLUS
600mm	505mm	180mm	119I02512PLUS



INFINITY PULL-OUT BASKET

- white solid base basket with chrome wire surround
- to be used with hinged door
- 30kg full-extension runner with soft-close
- side adjustment to accommodate carcass thickness from 16mm to 20mm
- minimum internal installation depth of 455mm
- available in 450, 500 and 600mm widths
- height 180mm
- order individually to suit customer requirements



picture shows Infinity basket

unit width	inst. depth	basket height	reference
450mm	455mm	180mm	119I02312S
500mm	455mm	180mm	119I02412S
600mm	455mm	180mm	119I02512S

STANDARD PULL-OUT BASKET

- internal chrome basket to be used with hinged door
- 30kg full-extension runner with soft-close
- side adjustment to allow for carcass thickness from 16mm to 20mm
- minimum internal installation depth 455mm
- available in 300, 400, 450, 500, 600, 800, 900 and 1000mm widths
- height 180mm
- available in 450, 500 and 600mm widths with a height of 220mm
- order individually to suit customer requirements



picture shows Standard basket



picture shows 220mm high basket—available to order

unit width	inst. depth	height	reference
300mm	455mm	180mm	119G00312
400mm	455mm	180mm	119G00412
450mm	455mm	180mm	119G00612
450mm	455mm	220mm	119G01012
500mm	455mm	180mm	119G00712
500mm	455mm	220mm	119G01412
600mm	455mm	180mm	119G00512
600mm	455mm	220mm	119G01512
800mm	455mm	180mm	119G01112
900mm	455mm	180mm	119G01212
1000mm	455mm	180mm	119G01312


NEW



picture shows a right hand (RH) corner

INFINITY PLUS CORNER SOLUTION

- white solid base basket with flat chrome wire surround
- with gas piston giving soft-open/soft-close action
- certificated for 200,000 cycles with weight loading of 35kg
- weight loading of 15kg on front baskets, 20kg on back baskets
- minimum internal installation depth of 505mm
- mechanism suits a 900-1000mm wide unit
- minimum internal cabinet height 580mm
- to suit door widths of 450 and 500mm



picture shows a right hand (RH) corner

door width	min. aperture	handing	inst. depth	unit size	reference
450 – 500mm	390mm	RH	505mm	900 - 1000mm	350002D12PLUS
450 – 500mm	390mm	LH	505mm	900 - 1000mm	350002S12PLUS



picture shows a left hand (LH) corner

INFINITY CORNER SOLUTION

- white solid base basket with chrome wire surround
- with gas piston giving soft-open/soft-close action
- certificated for 200,000 cycles with weight loading of 35kg
- weight loading of 15kg on front baskets, 20kg on back baskets
- minimum internal installation depth of 470mm or 505mm
- mechanism suits a 900-1000mm wide unit
- minimum internal cabinet height 580mm
- to suit door widths of 450 and 500mm



picture shows a left hand (LH) corner

door width	min. aperture	handing	inst. depth	unit size	reference
450 – 500mm	390mm	RH	505mm	900 - 1000mm	350I001D12
450 – 500mm	390mm	LH	505mm	900 - 1000mm	350I001S12
450 – 500mm	390mm	RH	470mm	900 - 1000mm	350I002D12
450 – 500mm	390mm	LH	470mm	900 - 1000mm	350I002S12



picture shows a left hand (LH) corner

STANDARD CORNER SOLUTION

- with gas piston giving soft-open/soft-close action
- certificated for 200,000 cycles with weight loading of 35kg
- weight loading of 15kg on front baskets, 20kg on back baskets
- minimum internal cabinet height 580mm
- minimum internal installation depth 470mm or 505mm
- basket options to suit door widths of 400, 450, 500 and 600mm or min. aperture of 370mm

door width	min. aperture	handing	basket type	inst. depth	unit size	reference
400mm	370mm	RH	chrome wire	470mm	900 - 1000mm	350D3012S
400mm	370mm	LH	chrome wire	470mm	900 - 1000mm	350S3012S
400mm	370mm	RH	chrome wire	505mm	900 - 1000mm	350D4012S
400mm	370mm	LH	chrome wire	505mm	900 - 1000mm	350S4012S
450 - 500mm	390mm	RH	chrome wire	470mm	900 - 1000mm	350D3012
450 - 500mm	390mm	LH	chrome wire	470mm	900 - 1000mm	350S3012
450 - 500mm	390mm	RH	chrome wire	505mm	900 - 1000mm	350D4012
450 - 500mm	390mm	LH	chrome wire	505mm	900 - 1000mm	350S4012
600mm	490mm	RH	chrome wire	505mm	1200mm	350D5012
600mm	490mm	LH	chrome wire	505mm	1200mm	350S5012

NON-SLIP GREY MAT 350GMCM505

- set of 4 graphite grey mats for 505mm deep basket with 450 – 500mm door
- rigid laser-cut for precise fit



EASY ACCESS CORNER SOLUTION

- all 4 baskets come out of the unit for easy access
- soft-close, plus soft-stop traverse kit to cushion left to right movement of mechanism
- weight loading 64kg
- set complete with 4 chrome wire baskets
- mechanism depth 460mm or 500mm
- mechanism height 530mm
- please note that mechanism for 400mm door width requires non-standard door hinge position
- 500mm deep mechanism requires minimum internal installation depth of 505mm without centre post or 480mm from back of centre post
- 460mm deep mechanism requires minimum internal installation depth of 465mm without centre post or 440mm from back of centre post




picture shows a right hand (RH) corner

door width	min. aper	handing	inst. depth	unit size	reference
400mm	340mm	RH	465mm	800-900mm	46155CB
400mm	340mm	LH	465mm	800-900mm	46255CB
400mm	340mm	RH	505mm	800-900mm	46155B
400mm	340mm	LH	505mm	800-900mm	46255B
450mm	380mm	RH	465mm	800-900mm	46105CB
450mm	380mm	LH	465mm	800-900mm	46205CB
450mm	380mm	RH	505mm	800-900mm	46105B
450mm	380mm	LH	505mm	800-900mm	46205B
500mm	430mm	RH	465mm	900-1000mm	46165CB
500mm	430mm	LH	465mm	900-1000mm	46265CB
500mm	430mm	RH	505mm	900-1000mm	46165B
500mm	430mm	LH	505mm	900-1000mm	46265B
600mm	510mm	RH	465mm	1000-1200mm	46135CB
600mm	510mm	LH	465mm	1000-1200mm	46235CB
600mm	510mm	RH	505mm	1000-1200mm	46135B
600mm	510mm	LH	505mm	1000-1200mm	46235B

NON-SLIP GREY MAT



- set of 4 graphite grey non-slip mats for Easy Access baskets
- rigid laser-cut for precise fit

door width	depth	reference
450mm	460mm	450GEAM460
450mm	500mm	450GEAM500
500mm	460mm	500GEAM460
500mm	500mm	500GEAM500
600mm	460mm	600GEAM460
600mm	500mm	600GEAM500



EASY ACCESS CORNER SOLUTION WITH WHITE SOLID BASES

- all 4 baskets come out of the unit for easy access
- soft-close, plus soft-stop traverse kit to cushion left to right movement of mechanism
- weight loading 64kg
- set complete with 4 white solid base baskets with chrome wire surround
- mechanism depth 500mm
- mechanism height 530mm
- mechanism requires minimum internal installation depth of 505mm without centre post or 480mm from back of centre post



pictures show a right hand (RH) corner

door width	min. aper	handing	inst. depth	unit size	reference
450mm	380mm	RH	505mm	min 800mm	46112B
450mm	380mm	LH	505mm	min 800mm	46212B
500mm	430mm	RH	505mm	900-1000mm	46172B
500mm	430mm	LH	505mm	900-1000mm	46272B
600mm	510mm	RH	505mm	1000-1200mm	46142B
600mm	510mm	LH	505mm	1000-1200mm	46242B

EASY ACCESS PLUS CORNER SOLUTION

- Easy Access corner solution with white solid bases and elliptical chrome wire
- all 4 baskets come out of the unit for easy access
- soft-close, plus soft-stop traverse kit to cushion left to right movement of mechanism
- weight loading 64kg
- only available for 500mm deep mechanism
- mechanism requires minimum internal installation depth of 505mm without centre post or 480mm from back of centre post

door width	min. aper	handing	inst. depth	unit size	reference
400mm	340mm	RH	505mm	800-900mm	46155BPLUS
400mm	340mm	LH	505mm	800-900mm	46255BPLUS
450mm	380mm	RH	505mm	min 800mm	46112BPLUS
450mm	380mm	LH	505mm	min 800mm	46212BPLUS
500mm	430mm	RH	505mm	900-1000mm	46172BPLUS
500mm	430mm	LH	505mm	900-1000mm	46272BPLUS
600mm	510mm	RH	505mm	1000-1200mm	46142BPLUS
600mm	510mm	LH	505mm	1000-1200mm	46242BPLUS

NUVOLA 2 INFINITY

- dual motion swing out corner solution
- two independent shelves with white solid non-slip base and chrome rail
- bottom tray fixes to base panel
- upper tray fixes to unit shelf
- unit shelf must be permanently fixed to carcass
- 20kg weight loading on each tray
- minimum internal installation depth of 490mm
- 90° minimum door opening required
- maximum hinge protrusion of 25mm if fixing door hinge to centre post
- available for 450, 500 and 600mm door widths



picture shows a right hand (RH) corner

door width	handing	inst. depth	unit size	reference
450mm	RH	490mm	900mm	371001D12
450mm	LH	490mm	900mm	371001S12
500mm	RH	490mm	1000mm	371002D12
500mm	LH	490mm	1000mm	371002S12
600mm	RH	490mm	1000mm	371003D12
600mm	LH	490mm	1000mm	371003S12

NEW



picture shows a right hand (RH) corner

NUVOLA INFINITY PLUS

- dual motion swing out corner solution
- two individual shelves with white solid non-slip base and flat chrome rail
- top shelf is adjustable to allow for drawer-line installation
- adjustable height pole fixes to base of unit and either the top of carcass or blanking panel
- 20kg weight loading on each tray
- internal height 650-750mm
- minimum internal installation depth of 505mm
- 90° minimum door opening required
- maximum hinge protrusion of 25mm if fixing door hinge to centre post
- available for 450, 500 and 600mm door widths
- AVAILABLE WITH SOFT-CLOSE ADAPTOR PACK AS OPTIONAL EXTRA



picture shows a right hand (RH) corner

door width	handing	inst. depth	unit size	reference
450mm	RH	505mm	900mm	370001D12PLUS
450mm	LH	505mm	900mm	370001S12PLUS
500mm	RH	505mm	1000mm	370002D12PLUS
500mm	LH	505mm	1000mm	370002S12PLUS
600mm	RH	505mm	1000mm	370003D12PLUS
600mm	LH	505mm	1000mm	370003S12PLUS

soft-close option – please order separately

item	reference
soft close adaptor pack	370SOFT

NUVOLA INFINITY

- dual motion swing out corner solution
- two individual shelves with white solid non-slip base and chrome rail
- top shelf is adjustable to allow for drawer-line installation
- adjustable height pole fixes to base of unit and either the top of carcass or blanking panel
- 20kg weight loading on each tray
- internal height 650-750mm
- minimum internal installation depth of 505mm
- 90° minimum door opening required
- maximum hinge protrusion of 25mm if fixing door hinge to centre post
- available for 450, 500 and 600mm door widths
- AVAILABLE WITH SOFT-CLOSE ADAPTOR PACK AS OPTIONAL EXTRA



picture shows a left hand (LH) corner



picture shows a left hand (LH) corner

door width	handing	inst. depth	unit size	reference
450mm	RH	505mm	900mm	3700007D12
450mm	LH	505mm	900mm	3700007S12
500mm	RH	505mm	1000mm	3700008D12
500mm	LH	505mm	1000mm	3700008S12
600mm	RH	505mm	1000mm	3700009D12
600mm	LH	505mm	1000mm	3700009S12

soft-close option – please order separately

item	reference
soft close adaptor pack	370SOFT

NEW



INFINITY PLUS 90° CAROUSEL

- includes 2 white solid base trays with flat chrome wire surround, pole and fixings
- carousel for 900 x 900mm corner cabinet
- 90° cut-out for hinged door
- 800mm diameter
- 700-750mm high
- 20kg weight loading per shelf
- with re-set position

item	unit height	unit size	reference
90°cut-out	max 750mm	900 x 900mm	361I00112PLUS

NEW



INFINITY 90° CAROUSEL

- includes 2 white solid base trays with chrome wire surround, pole and fixings
- carousel for 900 x 900mm corner cabinet
- 90° cut-out for hinged door
- 800mm diameter
- 700-750mm high
- 20kg weight loading per shelf
- with re-set position

item	unit height	unit size	reference
90°cut-out	max 750mm	900 x 900mm	361I00112

CAROUSEL FOR 45° ANGLED DOOR

- carousel for 900 x 900mm corner cabinet
- for 45° angled hinged door
- 800mm diameter chrome wire trays
- 700-750mm high
- 20kg weight loading per shelf
- with 2 chrome wire trays, pole and fixings
- with re-set position

item	unit height	unit size	reference
45° angle	max 750mm	900 x 900mm	361B00412



CAROUSEL FOR 90° CUT-OUT

- carousel for 900 x 900mm corner cabinet
- 90° cut-out for hinged door
- 800mm diameter chrome wire trays
- 700-750mm high
- 20kg weight loading per shelf
- with 2 chrome wire trays, pole and fixings
- with re-set position

item	unit height	unit size	reference
90° cut-out	max 750mm	900 x 900mm	361B00312



NEW



INFINITY PLUS PULL-OUT BASKET

- white solid base basket with flat chrome wire surround
- to be used with hinged door
- 30kg full-extension runner with soft-close
- side adjustment to accommodate carcass thickness from 16mm to 20mm
- minimum internal installation depth of 505mm
- available in 300, 400, 450, 500 and 600mm widths
- height 180mm

unit width	inst. depth	height	reference
300mm	505mm	180mm	119I02112PLUS
400mm	505mm	180mm	119I02212PLUS
450mm	505mm	180mm	119I02312PLUS
500mm	505mm	180mm	119I02412PLUS
600mm	505mm	180mm	119I02512PLUS



INFINITY PULL-OUT BASKET

- white solid base basket with chrome wire surround
- to be used with hinged door
- 30kg full-extension runner with soft-close
- side adjustment to accommodate carcass thickness from 16mm to 20mm
- minimum internal installation depth of 505mm
- available in 450, 500 and 600mm widths
- height 180mm

unit width	inst. depth	height	reference
450mm	505mm	180mm	119I02312S
500mm	505mm	180mm	119I02412S
600mm	505mm	180mm	119I02512S



STANDARD PULL-OUT BASKET

- internal chrome basket to be used with hinged door
- 30kg full-extension runner with soft-close
- side adjustment to accommodate carcass thickness from 16mm to 20mm
- minimum internal installation depth of 455mm
- available in 300, 400, 450, 500, 600, 800, 900 and 1000mm widths
- height 180mm

unit width	inst. depth	height	reference
300mm	455mm	180mm	119G00312
400mm	455mm	180mm	119G00412
450mm	455mm	180mm	119G00612
500mm	455mm	180mm	119G00712
600mm	455mm	180mm	119G00512
800mm	455mm	180mm	119G01112
900mm	455mm	180mm	119G01212
1000mm	455mm	180mm	119G01312

picture shows 220mm high basket—available to order

INFINITY PLUS PULL-OUT LARDER

- white solid base basket with flat chrome wire surround
- centrally mounted mechanism
- 110kg load capacity soft-close runner
- minimum internal installation depth 505mm
- available in 300, 400, 450, 500 and 600mm widths
- height 675–955mm
- baskets fit to frame with clip-on anti-tip security bracket

unit width	height 675 – 720 2 baskets 2 brackets	height 720 – 955 3 baskets 2 brackets
300mm	255C05N2PLUS	255C05N3PLUS
400mm	255C09N2PLUS	255C09N3PLUS
450mm	255C11N2PLUS	255C11N3PLUS
500mm	255C13N2PLUS	255C13N3PLUS
600mm	255C15N2PLUS	255C15N3PLUS



INFINITY PULL-OUT LARDER

- white solid base basket with chrome wire surround
- centrally mounted mechanism
- 110kg load capacity soft-close runner
- minimum internal installation depth 505mm
- available in 300, 400, 450, 500 and 600mm widths
- height 675–955mm
- baskets fit to frame with clip-on anti-tip security bracket

unit width	height 675 – 720 2 baskets 2 brackets	height 720 – 955 3 baskets 2 brackets
300mm	255C05N2i	255C05N3i
400mm	255C09N2i	255C09N3i
450mm	255C11N2i	255C11N3i
500mm	255C13N2i	255C13N3i
600mm	255C15N2i	255C15N3i



TITAN PULL-OUT LARDER

- chrome wire basket
- centrally mounted mechanism
- 110kg load capacity soft-close runner
- minimum internal installation depth 505mm
- available in 300, 400, 450, 500 and 600mm widths
- height 675–955mm
- baskets fit to frame with clip-on anti-tip security bracket
- graphite grey rigid laser cut mats available as separate item

unit width	height 675 – 720 2 baskets 2 brackets	height 720 – 955 3 baskets 2 brackets
300mm	256C05N2T	256C05N3T
400mm	256C09N2T	256C09N3T
450mm	256C11N2T	256C11N3T
500mm	256C13N2T	256C13N3T
600mm	256C15N2T	256C15N3T



NEW



INFINITY PLUS I 50mm PULL-OUT

- white solid base basket with flat chrome wire surround
- full extension runners with soft-close
- runner on left side
- width 110mm, height 520mm
- load 12kg

inst. depth	reference
505mm	00200412SPPLUS



INFINITY I 50mm PULL-OUT

- white solid base basket with chrome wire surround
- full extension runners with soft-close
- runner on left side
- width 110mm, height 520mm
- load 12kg

inst. depth	reference
505mm	002100112S



I 50mm PULL-OUT

- full extension runners with soft-close
- runner on left side
- width 110mm, height 520mm
- load 12kg
- 065D bottle dividers as optional extra
- 055V tray accessory available as optional extra on 002T

inst. depth	reference
455mm	002G
505mm	002T



I 50mm PULL-OUT WITH TOWEL RAIL

- full extension runners with soft-close
- runner on left side
- width 110mm, height 520mm
- load 12kg
- 065D bottle dividers as optional extra

inst. depth	reference
455mm	002GTR
505mm	002TTR

150mm PULL-OUT FOR WALL UNIT

- full extension runners with soft-close
- runner on left side
- width 110mm, height 520mm
- load 12kg
- 065D bottle dividers as optional extra

inst. depth	reference
280mm	002TW



PULL-OUT FOR CURVED DOOR

- to suit 300mm wide unit
- side mounted mechanism
- complete with 2 chrome wire baskets

handing	inst. depth	unit size	reference
RH	525mm	300mm	290001D12
LH	525mm	300mm	290001S12



picture shows a left hand (LH) mechanism

ANGLED PULL-OUT

- with gas piston giving soft-open/soft-close action
- for 45° or 60° angled door to suit 300mm wide unit
- side mounted mechanism
- complete with 2 chrome wire baskets
- mechanism dimensions for 45° – 260w x 450d x 655h
- mechanism dimensions for 60° – 260w x 450d x 655h
- minimum internal installation depth 490mm or 520mm

handing	angle	inst. depth	unit size	reference
RH	45°	520mm	300mm	270B00112
LH	45°	520mm	300mm	270B00212
RH	60°	490mm	300mm	270B00412
LH	60°	490mm	300mm	270B00312



picture shows a left hand (LH) mechanism

NEW



INFINITY PLUS PULL-OUT

- white solid base basket with flat chrome wire surround
- base pull-out for attached door
- side mounted runners
- available for 300, 400, 450, 500 and 600mm wide units
- mechanism depth 500mm, height 520mm
- minimum internal installation depth 505mm
- 40kg load capacity

width	inst. depth	reference
300mm	505mm	00402012SPLUS
400mm	505mm	00402312SPLUS
450mm	505mm	00402112SPLUS
500mm	505mm	00402412SPLUS
600mm	505mm	00402212SPLUS



INFINITY PULL-OUT

- white solid base basket with chrome wire surround
- base pull-out for attached door
- side mounted runners
- available for 300, 400, 450, 500 and 600mm wide units
- mechanism depth 450mm, height 520mm
- minimum internal installation depth 455mm
- 40kg load capacity
- bottle dividers as optional extra

width	inst. depth	reference
300mm	455mm	004I02012S
400mm	455mm	004I03312S
450mm	455mm	004I02512S
500mm	455mm	004I02412S
600mm	455mm	004I02612S



STANDARD BASE PULL-OUT

- base pull-out for attached door
- side mounted runners
- available for 300, 400, 450, 500 and 600mm wide units
- mechanism depth 450mm
- minimum installation depth 455mm
- 520mm high
- 40kg load capacity

width	inst. depth	reference
300mm	455mm	031G00112
400mm	455mm	031G00212
450mm	455mm	031G00312
500mm	455mm	031G00412
600mm	455mm	031G00512

NB - product does not have a shrouded runner

INFINITY SIDE MOUNTED PULL-OUT

- white solid base basket with chrome wire surround
- with gas piston giving soft-open/soft-close action
- side mounted mechanism
- can be fitted RH or LH
- 40kg full extension runner
- available for 300, 400 and 450mm wide unit
- min. int. dimensions - 260w x 470d x 650h
- minimum internal installation depth 475mm

unit width	inst. depth	reference
300mm	475mm	270C00512i
400mm	475mm	270C00612i
450mm	475mm	270C00712i



TITAN SIDE MOUNTED PULL-OUT

- with gas piston giving soft-open/soft-close action
- side mounted mechanism on 40kg full extension runner
- can be fitted RH or LH
- available for 300, 400 and 450mm wide unit
- min. int. dimensions - 260w x 470d x 650h
- minimum internal installation depth 475mm
- flexible layout allows for a mixture of baskets and wine racks

width	item	inst. depth	reference
300mm	mechanism	475mm	270C00512
400mm	mechanism	475mm	270C00612
450mm	mechanism	475mm	270C00712

width	item	qty.	reference
300mm	chrome wire basket	1	273.300
400mm	chrome wire basket	1	273.400
450mm	chrome wire basket	1	273.450



TITAN PULL-OUT WINE RACK

- with gas piston giving soft-open/soft-close action
- side mounted mechanism on 40kg full extension runner
- can be fitted RH or LH
- available for 400 and 450mm wide unit
- min. int. dimensions - 260w x 470d x 650h
- minimum internal installation depth 475mm
- flexible layout allows for a mixture of basket and wine racks
- maximum 5 wine racks per mechanism

width	item	inst. depth	reference
400mm	mechanism	475mm	270C00612
450mm	mechanism	475mm	270C00712

width	item	qty.	reference
400mm	wine rack	1	271.400
450mm	wine rack	1	271.450





TURNING UNDER SINK WITH ACCESSORY TRAYS

- with patented gas piston giving soft-open/soft-close action
- turning under-sink mechanism
- suitable for 900mm or 1000mm wide unit
- to suit 450 or 500mm wide door
- to suit 500mm deep unit
- minimum height 455mm
- LH or RH fixing pull-out mechanism with accessory trays

handing	item	reference
RH	with accessory trays	704001D12
LH	with accessory trays	704001S12



TURNING UNDER SINK WITH WASTE BINS

- with patented gas piston giving soft-open/soft-close action
- turning under-sink mechanism
- suitable for 900mm or 1000mm wide unit
- to suit 450 or 500mm wide door
- to suit 500mm deep unit
- minimum height 455mm
- LH or RH fixing pull-out mechanism with 3 plastic waste bins

handing	item	reference
RH	with bins	703001D12
LH	with bins	703001S12




PULL-OUT DETERGENT BASKET

- base pull-out for under-sink unit on soft-close runner
- mechanism dimensions 380w x 437d x 430h
- minimum internal installation depth 445mm
- minimum unit width 450mm

unit width	inst. depth	reference
min. 450mm	445mm	060G00112

UNDER SINK STORAGE DRAWER SYSTEM

- pull-out storage system with 40kg soft-close runners
- available for 900mm or 1200mm wide unit
- to suit 500mm deep unit
- top drawer with stainless steel tray and 2 clip-on stainless steel baskets
- bottom drawer with stainless steel tray and 3 stainless steel bins with removable lids



top drawer



bottom drawer

unit width	reference
900mm	70000111
1200mm	70000311



UNDER SINK FOR BLUM DRAWER

- pull-out storage system for 500mm deep Blum drawer
- available for 900mm or 1200mm wide unit
- top drawer with chrome wire surround and baskets
- bottom drawer with chrome wire surround, bottle holder and stainless steel bucket with plastic lid
- non-slip mat for base of drawer
- fixing brackets
- drawer base not supplied



top drawer



bottom drawer

unit width	reference
900mm	701-900
1200mm	701-1200



waste bins

VS
t
e

bins
s





INTER-BIN 600

- 85 litre high-line or 75 litre drawer-line waste bin for attached door
- for standard 600mm cabinet with 16 to 19mm carcass thickness
- sturdy metal frame with 40kg soft-close Grass runners
- large 140mm 3-way adjustable double thickness metal front bracket
- minimum installation depth 505mm
- 7.5 litre buckets with lids

unit width	min.aper	height	capacity (litres)	ref.
600mm	555mm	480mm	75 (2x30+2x7.5)	573DL
600mm	555mm	560mm	85 (2x35+2x7.5)	573HL



INTER-BIN 500

- 70 litre high-line or 60 litre drawer-line waste bin for attached door
- for standard 500mm cabinet with 16 to 19mm carcass thickness
- sturdy metal frame with 40kg soft-close Grass runners
- large 140mm 3-way adjustable double thickness metal front bracket
- minimum installation depth 505mm

unit width	min.aper	height	capacity (litres)	ref.
500mm	455mm	480mm	60 (2x30)	572DL
500mm	455mm	560mm	70 (2x35)	572HL



INTER-BIN 450

- 70 litre high-line or 60 litre drawer-line waste bin for attached door
- for standard 450mm cabinet with 16 to 19mm carcass thickness
- sturdy metal frame with 40kg soft-close Grass runners
- large 140mm 3-way adjustable double thickness metal front bracket
- minimum installation depth 505mm

unit width	min.aper	height	capacity (litres)	ref.
450mm	405mm	480mm	60 (2x30)	571DL
450mm	405mm	560mm	70 (2x35)	571HL



INTER-BIN 400/35

- 35 litre high-line waste bin for attached door
- for standard 400mm cabinet with 16 to 19mm carcass thickness
- sturdy metal frame with 40kg soft-close Grass runners
- large 140mm 3-way adjustable double thickness metal front bracket
- minimum installation depth 505mm

unit width	min.aper	height	capacity (litres)	ref.
400mm	355mm	560mm	35 (1x35)	570SL

INTER-BIN 400

- 52 litre high-line or 42 litre drawer-line waste bin for attached door
- for standard 400mm cabinet with 16 to 19mm carcass thickness
- sturdy metal frame with 40kg soft-close Grass runners
- large 140mm 3-way adjustable double thickness metal front bracket
- minimum installation depth 505mm

unit width	min.aper	height	capacity (litres)	ref.
400mm	355mm	480mm	42 (2x21)	570DL
400mm	355mm	560mm	52 (2x26)	570HL
400mm	355mm	560mm	64 (2x32)	570LL



INTER-BIN 400/54

- 54 litre high-line waste bin for attached door
- for standard 400mm cabinet with 16 to 19mm carcass thickness
- sturdy metal frame with 40kg soft-close Grass runners
- large 140mm 3-way adjustable double thickness metal front bracket
- minimum installation depth 505mm

unit width	min.aper	height	capacity (litres)	ref.
400mm	355mm	605mm	54 (1x54)	570XL



INTER-BIN 300

- 35 litre high-line or 30 litre drawer-line waste bin for attached door
- for standard 300mm cabinet with 16 to 19mm carcass thickness
- sturdy metal frame with 40kg soft-close Grass runners
- large 140mm 3-way adjustable double thickness metal front bracket
- minimum installation depth 505mm

unit width	min.aper	height	capacity (litres)	ref.
300mm	255mm	480mm	30 (1x30)	574DL
300mm	255mm	560mm	35 (1x35)	574HL



INTER-BIN 300 MINI

- 28 litre drawer-line waste bin for attached door
- for standard 300mm cabinet with 16 to 19mm carcass thickness
- sturdy metal frame with 40kg soft-close Grass runners
- large 140mm 3-way adjustable double thickness metal front bracket
- minimum installation depth 505mm

unit width	min.aper	height	capacity (litres)	ref.
300mm	255mm	370mm	28 (2x14)	576





COMPOSTING BIN WITH LID

- optional extra for Interbin
- 5 litre bin with lid
- hooks onto rim of larger capacity buckets
- for use with 35 litre and 30 litre bucket only

item	reference
compost bin	557



INTER-BIN FOR UNDERSINK WITH SHELF

- only available for a 600mm sink base unit
- full extension 40kg soft-close runner
- supplied with additional front fixing brackets on the carriage for tilt adjustment
- minimum installation depth 455mm for the runners
- bin depth 400mm
- height 405mm
- capacity 36 litres - 16 + 8 + 12 litre buckets

item	unit width	height	reference
with shelf	600mm	405mm	57500100



INTER-BIN FOR UNDERSINK WITH LID

- only available for a 600mm sink base unit
- full extension 40kg soft-close runner
- supplied with additional front fixing brackets on the carriage for tilt adjustment
- minimum installation depth 455mm for the runners
- bin depth 400mm
- height 360mm
- capacity 36 litres - 16 + 8 + 12 litre buckets

item	unit width	height	reference
with lid	600mm	360mm	57500200



SENSOMATIC FOR INTER-BIN

- optional accessory for all widths, drawer-line and high-line
- mechanism incorporating electronic flipper that enables touch-to-open when activated
- three easy to change settings that determine the force with which the bin opens
- fixes to back of carcass on railing system
- carcass requires top rail
- minimum internal depth 535mm
- kit includes AC power adaptor with 1m power cable, Sensomatic opening unit, 4 spring loaded front buffers and railing set

item	reference
Sensomatic set	F121100990201SET

EASY ACCESS CORNER SOLUTION WITH WASTE BINS

- waste management system
- suits a 900-1000mm unit with a 450-500mm door
- comes as standard with four plastic buckets and two small chrome wire baskets
- also available for 1000-1200mm unit with a 600mm door
- mechanism depth 460mm, mechanism height 445mm
- minimum internal installation depth 465mm
- bucket sizes – large 15 litre, small 6 litre

door width	min. aper	hand.	inst. depth	unit size	ref.
450-500mm	400mm	RH	465mm	900-1000mm	50105B
450-500mm	400mm	LH	465mm	900-1000mm	50205B
600mm	510mm	RH	465mm	1000-1200mm	50135B
600mm	510mm	LH	465mm	1000-1200mm	50235B



picture shows a left hand (LH) corner

EASY ACCESS CORNER SOLUTION WITH LARGE CAPACITY WASTE BINS

- waste management system
- suits a 900-1000mm unit with a 450-500mm door
- heavy duty plastic buckets with independent lids and one chrome wire basket
- 1 x 32 litre, 1 x 17 litre and 2 x 8 litre buckets
- mechanism depth 500mm
- minimum installation depth 505mm without centre post or 480mm from back of centre post
- mechanism height 560mm

door width	min. aper	hand.	inst. depth	unit size	ref.
450-500mm	400mm	RH	505mm	900-1000mm	46105BIN4
450-500mm	400mm	LH	505mm	900-1000mm	46205BIN4



picture shows a right hand (RH) corner

EASY ACCESS CORNER SOLUTION WITH WASTE BINS AND BASKETS

- waste management system
- suits a 900-1000mm unit with a 450-500mm door
- heavy duty plastic buckets with independent lids and two chrome wire baskets
- 1 x 32 litre and 1 x 8 litre buckets
- mechanism depth 500mm
- minimum installation depth 505mm without centre post or 480mm from back of centre post
- mechanism height 560mm

door width	min. aper	hand.	inst. depth	unit size	ref.
450-500mm	400mm	RH	505mm	900-1000mm	46105BIN2
450-500mm	400mm	LH	505mm	900-1000mm	46205BIN2



picture shows a right hand (RH) corner



300mm PULL-OUT BIN WITH STAINLESS STEEL BUCKETS

- full extension runners
- door attaches
- 1 x 10 litre & 1 x 20 litre buckets
- 264w x 405h x 475d

unit width	capacity (litres)	reference
300mm	30 (10+20)	785.304.42



400mm PULL-OUT BIN WITH STAINLESS STEEL BUCKETS

- full extension runners
- door attaches
- 2 x 10 litre & 1 x 20 litre buckets
- 345w x 410h x 490d

unit width	capacity (litres)	reference
400mm	40 (2x10+20)	785.404.42



400mm PULL-OUT BIN WITH STAINLESS STEEL BUCKETS

- full extension runners
- door attaches
- 2 x 20 litre buckets
- 345w x 410h x 490d

unit width	capacity (litres)	reference
400mm	40 (2x20)	785.904.41



400mm PULL-OUT BIN WITH STAINLESS STEEL BUCKETS

- full extension runners
- for use with hinged door
- 2 x 16 litre buckets
- 345w x 350h x 490d

unit width	capacity (litres)	reference
400mm	32 (2x16)	787.814.42

400mm PULL-OUT BIN WITH STAINLESS STEEL BUCKETS

- full extension runners
- for use with hinged door
- 2 x 20 litre buckets
- 345w x 410h x 490d

unit width	capacity (litres)	reference
400mm	40 (2x20)	787.914.42



STAINLESS STEEL BIN

- stainless steel bin with handle and lid
- for use in customer's own application
- 10 litre bin - 150w x 300h x 210d
- 20 litre bin - 210w x 300h x 310d

capacity (litres)	reference
10	51000211
20	51000111



STAINLESS STEEL RECTANGULAR BIN

- opens with door
- 19 litre capacity
- min. unit width 450mm
- 210w x 470h x 410d

unit width	capacity (litres)	reference
min. 450mm	19	790.414.42



STAINLESS STEEL ROUND BIN

- 13 litre capacity plastic inner bucket
- opens with door
- min. unit width 400mm
- 270w x 350h x 340d

unit width	capacity (litres)	reference
min. 400mm	13	010.214.42





INTER-BIN 600 LAUNDRY BASKET

- 60 litre high-line laundry basket for attached door
- for standard 600mm cabinet with 16 to 19mm carcass thickness
- sturdy metal frame with 40kg soft-close Grass runners
- large 140mm 3-way adjustable double thickness metal front bracket
- minimum installation depth 505mm

unit width	min.aper	height	capacity (litres)	ref.
600mm	555mm	590mm	60 (1 x 60)	573XL



300mm LARGE CAPACITY BIN

- full extension runners
- for use with hinged door
- frame screws to base of unit
- high-line version 265w x 565h x 325d with 32 litre bucket
- drawer-line version 265w x 475h x 325d with 26 litre bucket

unit width	capacity (litres)	reference
300mm	32	757.221.85
300mm	26	757.211.85



400mm LARGE CAPACITY BIN

- full extension runners
- frame screws to base of unit for hinged door or side of unit for attached door
- high-line version for hinged door 345w x 590h x 485d with 2 x 32 litre buckets
- high-line version for attached door 345w x 590h x 485d with 2 x 32 litre buckets
- drawer-line version for hinged door 345w x 490h x 485d with 2 x 26 litre buckets

unit width	capacity (litres)	reference
400mm (hinged door)	64 (2x32)	757.812.85
400mm (attached door)	64 (2x32)	789.611.85
400mm (hinged door)	52 (2x26)	757.811.85



300mm PULL-OUT BIN WITH PLASTIC BUCKETS

- full extension runners
- door attaches
- 1 x 10 litre & 1 x 26 litre buckets
- 265w x 490h x 485d

unit width	capacity (litres)	reference
300mm	36 (26+10)	785.801.85

300mm PULL-OUT BIN WITH PLASTIC BUCKETS

- full extension runners with soft-close
- door attaches
- 1 x 10 litre & 1 x 20 litre buckets
- 254w x 395h x 490d

unit width	capacity (litres)	reference
300mm	30 (20+10)	885.301.11



400mm PULL-OUT BIN WITH PLASTIC BUCKETS

- full extension runners with soft-close
- door attaches
- 1 x 20 litre & 2 x 10 litre plastic buckets
- 350w x 395h x 490d

unit width	capacity (litres)	reference
400mm	40 (2x10+20)	885.401.11



300mm PULL-OUT BIN WITH PLASTIC BUCKETS

- full extension runners
- for use with hinged door
- 2 x 15 litre plastic buckets
- 255w x 395h x 465d

unit width	capacity (litres)	reference
300mm	30 (2x15)	755.611.11



FREE-STANDING PLASTIC BUCKET

- for use in customer's own application
- 26 litre bucket - 230w x 430h x 310d
- 32 litre bucket - 230w x 530h x 310d

capacity (litres)	reference
26	WASTE26LIT
32	WASTE32LIT




tambours

trp

tambours





TAMBOUR DOOR SYSTEMS

- solid aluminium tambours made up of 25 or 40mm slats
- supplied in a cartridge that fits easily onto a shelf 134mm down from the underside of the top of the cabinet
- minimum internal installation depth 300mm
- standard height 1500mm
- the tension can easily be adjusted in the cartridge to facilitate smooth running action
- the guide profile clips into the cassette and the complete unit can then slide into place
- the guide profile will suit standard 18mm end panels
- guide profile width 34mm
- internal shelves must be set back 50mm to allow movement of the tensioning cable
- bespoke range available up to 2000mm wide
- stock range available in standard sizes from 500mm up to 1000mm wide
- NEW 40mm slat only available in solid profile



front view showing cartridge



rear view showing tensioning mechanism

STOCK RANGE

- available in 500, 600, 800, 900 and 1000mm widths
- B-Mill stainless steel effect finish
- suitable for cabinet heights up to 1500mm
- 25mm solid slats only
- top fascia 75mm high
- guide profile width 33.5mm, depth 18.6mm

unit width	finish*	reference
500mm	B-MILL	500BMTAM
600mm	B-MILL	600BMTAM
800mm	B-MILL	800BMTAM
900mm	B-MILL	900BMTAM
1000mm	B-MILL	1000BMTAM

B-Mill
solid




BESPOKE RANGE

- a range of bespoke tambours, made to order to suit your customer requirements
- tambours using the cartridge system can be made to any size from 400mm to 1200mm wide - overall maximum 3m²
- tambours using the bar and coiler system can be made to any size from 500mm to 2400mm wide - overall maximum 3m²
- suitable for cabinet heights up to 1500mm



SOLID 25mm SLATS

- 25mm wide solid aluminium slats
- 4 - 6 weeks delivery from date of order
- available in a selection of finishes



WIND 25mm PERFORATED SLATS

- 25mm wide perforated aluminium slats
- 4 - 6 weeks delivery from date of order
- available in a selection of finishes
- ideal for allowing free movement of air if storing food or electrical items



WIND-MIX 25mm ALTERNATING PERFORATED AND SOLID SLATS

- alternating 25mm wide solid and perforated aluminium slats
- 4 - 6 weeks delivery from date of order
- available in a selection of finishes
- ideal for allowing free movement of air if storing food or electrical items



BR2 Matt
bronze solid



M3 White
solid



BR2 Matt bronze
wind perforated



M3 White
wind perforated



A-Brushed
solid



L2 Black
solid



A-Brushed
wind perforated



L2 Black
wind perforated



B-Mill
solid



M4 Matt white
solid



B-Mill
wind perforated



M4 Matt white
wind perforated



SN Satin nat
solid



B2 Stainless
solid



SN Satin natural
wind perforated



B2 Stainless
wind perforated

BESPOKE RANGE – SOLID 40mm SLATS

- 40mm solid slats to give a more contemporary look
- 4 - 6 weeks delivery from date of order
- available in a selection of finishes
- not available with perforated slats



BR2 Matt
bronze solid



A-Brushed
solid



B-Mill
solid




SN Satin nat
solid



M3 White
solid



L2 Black
solid



M4 Matt white
solid



B2 Stainless
solid



GLASS 40mm

- tempered glass tambour door system
- 40mm slats
- 4mm thick glass
- only available for 600mm wide cabinet
- height 1500mm
- acid-etched opaque glass with satin nickel or stainless steel effect front profiles and handle
- white or black glass with matching profiles and handle



M3 white
GMV002-WHITE



L1 black
GMV003-BLACK



acid-etched opaque / satin nickel
GMV001 SN-ACID

acid-etched opaque / mill inox
GMV001 B2-ACID




REMOTE CONTROL TAMBOUR

- motorised bespoke solid aluminium tambour with remote control
- available with 25mm slat or NEW 40mm solid slat
- minimum internal depth 292mm
- for minimum cabinet width of 600mm up to maximum 2.4m wide
- available in heights from 500mm up to 2.2m
- the profile will suit standard 18mm end panels
- 4 - 6 weeks delivery from date of order
- available in a selection of finishes
- maximum overall size 4m²




9227- HEIGHT UP TO 1450mm

- available in widths from 600mm to 2000mm
- height from 500mm up to 1450mm
- minimum internal depth 292mm



9226- HEIGHT UP TO 2200mm

- available in widths from 600mm to 2000mm
- height from 500mm up to 2200mm
- minimum internal depth 331mm



	BR2 Matt bronze solid
	A-Brushed solid
	B-Mill solid
	SN Satin nat solid



	M3 White solid
	L2 Black solid
	M4 Matt white solid
	B2 Stainless solid

	BR2 Matt bronze wind perforated
	A-Brushed wind perforated
	B-Mill wind perforated
	SN Satin natural wind perforated


	M3 White wind perforated
	L2 Black wind perforated
	M4 Matt white wind perforated
	B2 Stainless wind perforated

BESPOKE WOODEN TAMBOUR

- made to order in any size
- can be made in any wood, subject to availability
- made from solid wood including profiles, guides and handle rail
- slats connected by integral wire
- two slat options
- can be polished or unfinished
- overall guide width 47mm, depth 60mm
- handle rail 100mm high
- guide profiles supplied with or without fascia
- remote control option available for minimum cabinet width of 650mm
- opening height is 293mm less than overall height




T134 - 25mm slat with ball and socket overlap



picture shows side profile





T234 - 50mm flat slat



picture shows side profile

runners, fittings
and accessories

accessories





DYNAPRO RUNNERS

- full extension synchronised runner with soft-close for wooden drawers
- 40kg or 60 kg load capacity
- stepless self-locking of the drawer when placed on the runner
- integrated height adjustment without tools + 3.5mm
- 7mm deflection with 30kg load
- 8.8mm deflection with 40kg load
- tool-free side adjustment 1.5mm
- tilt angle adjustment +4.0mm
- minimal closing noise due to 2K latch

nominal length	reference - 40kg	reference - 60kg
250mm	F130116014	–
270mm	F130116015	–
300mm	F130116016	–
350mm	F130116018	–
400mm	F130116020	–
450mm	F130116022	F130116027
500mm	F130116024	F130116028
550mm	F130116026	F130116030
600mm	–	F130116032
650mm	–	F130116033
700mm*	–	F130116034
750mm*	–	F130116035

* load capacity 50kg

item	reference
3D front locking device and adjustment adapter	F134125074



DYNAMOOV RUNNERS

- full extension synchronised runner with soft-close for wooden drawers
- 30kg load capacity
- stepless self-locking of the drawer when placed on the runner
- integrated height adjusted without tools + 3.5mm

nominal length	reference - 30kg
270mm	F130101101
300mm	F130101102
350mm	F130101104
400mm	F130101106
450mm	F130101108
500mm	F130101110
550mm	F130101112

item	reference
1D front locking device and adjustment adapter	F134101220


DYNAPRO INTEGRATED TIPMATIC

- Dynapro runners with integrated Tipmatic Plus
- 40kg or 60 kg load capacity
- responds to touch throughout the whole width of the drawer
- can be triggered by gently tapping anywhere along the surface of the front
- runner extends fully
- reliable closing through catch function
- depth adjustment on both sides ensures precise front gap adjustment
- removal and transport protection
- synchronisation set and Dynapro clip set required
- synchronisation bar required for drawers over 600mm wide
- buffer as optional extra

nominal length	reference - 40kg	reference - 60kg
250mm	F130117458	–
270mm	F130117459	–
300mm	F130117460	–
350mm	F130117462	–
400mm	F130117463	–
450mm	F130117465	–
500mm	F130117467	–
550mm	F130117468	–
600mm	–	F130116941
650mm	–	F130117474
700mm*	–	F130117534
750mm*	–	F130117535

* load capacity 50kg

item	reference
3D front locking device and adjustment adapter	F134125074
synchronisation set	F134117475
synchronisation bar 1200mm	F102068272
buffer	F121100295





GREY SINK-BASE MAT

- grey rigid plastic mat with stainless steel surface
- dimples designed to collect spilt/leaking liquids
- collects up to 6 litres per sq metre
- supplied in a standard sheet that can be cut to size

colour	width	depth	reference
grey	1200mm	580mm	SBM001
grey	1600mm	580mm	SBM002



BLACK SINK-BASE MAT

- black rigid plastic mat with stainless steel surface
- dimples designed to collect spilt/leaking liquids
- collects up to 6 litres per sq metre
- supplied in a standard sheet that can be cut to size

colour	width	depth	reference
black	1200mm	580mm	SBM001B
black	1600mm	580mm	SBM002B



DRAWER-BASE MAT

- graphite grey non-slip mat
- supplied in a standard sheet that can be cut to size

width	depth	reference
1150mm	580mm	DBM001



NON-SLIP DRAWER MAT


- grey non-slip mat for drawers
- available in two depths – 424mm to suit 450mm deep Blum drawer; 474mm to suit 500mm deep Blum drawer
- sold per metre

thickness	depth	reference
1.3mm	424mm	GDBM004
1.3mm	474mm	GDBM001

CHROME SPICE RACK

- 4-tier version available in 300, 450 & 500mm widths
- 3-tier version available in 600mm wide only


item	dimensions	reference
3-tier	530w x 285h x 65d	660.404.39
4-tier	245w x 405h x 65d	660.411.39
4-tier	390w x 405h x 65d	660.403.39
4-tier	435w x 405h x 65d	660.402.39



BOTTLE RACK

- chrome bottle rack for door mounting
- 316w x 110h x 108d

dimensions	reference
316w x 110h x 108d	660.301.39



2-ARM ALUMINIUM TOWEL RAIL

- pull-out towel rail on easy glide rollers
- top or side fixing
- depth 470mm

item	reference
2 arm aluminium	TR-AL



2-ARM CHROME TOWEL RAIL

- pull-out towel rail on easy glide rollers
- top or side fixing
- depth 495mm

item	reference
2 arm chrome	TR-CH



3-ARM CHROME TOWEL RAIL

- pull-out towel rail on easy glide rollers
- top or side fixing
- depth 495mm

item	reference
3 arm chrome	TR-CH3





BUTT HINGE

- 2.5" butt hinge

item	reference
steel hinge with screws	2.5BH.ST
nickel plated brass hinge	2.5BH.NP



BARREL BOLT

- chrome bolt 80w x 25h

item	reference
barrel bolt	B00382C



MAGNETIC CATCH

- 2kg surface mounted catch
- no direct contact with counter plate required providing near silent operation
- chrome plated

item	reference
magnetic catch	CA268



BREAKFAST BAR LEG

- 60mm diameter
- 870mm long
- chrome or brushed nickel
- fully adjustable

finish	reference
chrome	BBL-CHR
brushed nickel	BBL-NI



GREY PLASTIC CUTLERY INSERT

- available for 300mm up to 1000mm wide drawer
- to suit 450mm deep Blum Tandembox drawer

drawer width	ref. 424mm deep
300mm	CT.BL.300
400mm	CT.BL.400
450mm	CT.BL.450
500mm	CT.BL.500
600mm	CT.BL.600
800mm	CT.BL.800
900mm	CT.BL.900
1000mm	CT.BL.1000

SHELF BRACKET

- shelf bracket for wooden shelf

item	finish	reference
bracket 102 x 102 x 13mm	polished chrome	XXHERB001-04
bracket 150 x 150 x 13mm	polished chrome	XXHERB001-03
bracket 203 x 203 x 13mm	polished chrome	XXHERB001-05



BRITANNIUM FEATURE HINGE

- 100w x 58h
- 86mm from knuckle to end

item	reference
feature hinge - Britannium	CE-20BT



CASEMENT FASTENER

- 38mm high
- available in antique brass, polished chrome plate or satin nickel plate

item	finish	reference
casement fastener	antique brass	0818/A
casement fastener	polished chrome	0818/PCP
casement fastener	satin nickel	0818/SNP



CUPBOARD CATCH

- 38h x 54w
- available in antique brass, polished chrome plate or satin nickel plate

item	finish	reference
cupboard catch	antique brass	0899/A
cupboard catch	polished chrome	0899/PCP
cupboard catch	satin nickel	0899/SNP



CABINET SUSPENSION BRACKET

- up to 130kg load capacity per pair
- tilt-and-lift safety release system to avoid accidental lifting of the cabinet off the bracket
- all metal components
- zinc plated giving protection against corrosion
- Includes 125mm long mounting plate

item	reference
cabinet suspension bracket	F155147967210
mounting plate	F155145208514



BEECH CUTLERY INSERTS

- a range of exclusive beech cutlery inserts
- to suit cabinet width of 300 -1000mm
- available lacquered as standard
- distinctive angled cut-outs are designed to take the ready-made selection of accessories as required
- for use with a 500mm deep Blum Tandembox drawer
- all inserts 474mm deep



300mm



reference
Q30.05V

reference
Q30.05

400mm



reference
Q40.05

450mm



reference
Q45.05

500mm



reference
Q50.05

600mm



reference
Q60.05

800, 900 or 1000mm



image shows 900mm insert

drawer width	reference
800mm	Q80.05
900mm	Q90.05
1000mm	Q100.05


ACCESSORIES

- accessories available to order
- further items in range
- please ask for more information




film holder

reference
Q1.1R



kitchen knife holder

reference
Q1.1CF



kitchen knife tray

reference
Q1.1CV

BEECH PLATE RACK

- for use with a 500mm deep Blum Tandembox drawer

drawer width	reference
600mm	60.03
800mm	80.03
900mm	90.03
1000mm	100.03
1200mm	120.03



BEECH MULTI-FUNCTION BOARD

- available from 600mm to 1200mm drawers
- depth 474mm
- pre-drilled to take accessories
- for use with a 500mm deep Blum Tandembox drawer

drawer width	reference
600mm	OS.60
800mm	OS.80
900mm	OS.90
1000mm	OS.100
1200mm	OS.120



ACCESSORIES FOR MULTI-FUNCTION BOARD



item	reference
lid rack set	KCOP



item	reference
frying pan rack	KPAD



item	reference
bottle holder x 4	KBOT





item	reference
plate divider x 3	KBIR



PEGASUS DOOR SYSTEM

- parallel opening door system with soft-close
- can be used for single or double doors
- one mechanism per door
- 16-20kg weight limit per door
- 2500mm support bar, to be cut to required length
- available for 450, 500 or 600mm door widths
- internal shelves or accessories should be set back 60mm from front edge of carcass to ensure clearance for support bar

door width	reference
450mm	PEGASUS450
500mm	PEGASUS600
600mm	PEGASUS620
snodo kit	PEKITSNDX64



reference	V	Vm	S	Sm	P	Pm	weight load
PEGASUS450	398-474mm	796-948mm	445mm	890mm	154mm	257mm	20kg
PEGASUS600	475mm min.	950mm min.	583mm	1066mm	196mm	332mm	20kg
PEGASUS620	490mm min.	980mm min.	610mm	1220mm	203mm	345mm	16kg



ORGA-LINE FOR CUTLERY

- dishwasher safe, stainless steel compartments providing organisation for cutlery
- individual containers can be arranged to suit and are removable
- available for Blum drawer depths of 450 or 500mm



width	depth	reference
275mm	450mm	ZSI.450BI1N
	500mm	ZSI.500BI1N



width	depth	reference
300mm / 350mm	450mm	2xZSI.450BI1N
	500mm	2xZSI.500BI1N



width	depth	reference
400mm	450mm	ZSI.450B13N
	500mm	ZSI.500B13N



width	depth	reference
450mm	450mm	ZSI.45VE14
	500mm	ZSI.45VE16



width	depth	reference
500mm	450mm	ZSI.50VE14
	500mm	ZSI.50VE16



width	depth	reference
600mm	450mm	ZSI.60VE14
	500mm	ZSI.60VE16



width	depth	reference
800mm	450mm	ZSI.80VE14
	500mm	ZSI.80VE16



width	depth	reference
900mm	450mm	ZSI.90VE14
	500mm	ZSI.90VE16



width	depth	reference
1000mm	450mm	ZSI.10VE14
	500mm	ZSI.10VE16



ORGA-LINE FOR UTENSILS

- organisation and secure storage for kitchen utensils, knives and small electrical appliances
- individual containers can be arranged to suit and are removable
- available for Blum drawer depths of 450 or 500mm



width	depth	reference
275mm-300mm	450mm	ZSI.450BI1N
	500mm	ZSI.500BI1N



width	depth	reference
400mm-550mm	450mm	ZSI.450F12N
	500mm	ZSI.500F12N



width	depth	reference
600mm	450mm	ZSI.60VU14
	500mm	ZSI.60VU16



width	depth	reference
800mm	450mm	ZSI.80VU14
	500mm	ZSI.80VU16



width	depth	reference
900mm	450mm	ZSI.90VU14
	500mm	ZSI.90VU16



width	depth	reference
1000mm	450mm	ZSI.10VU14
	500mm	ZSI.10VU16

CLIP TOP HINGES



item	reference
120°	71T5550
120° unsprung	70T5550.TL
120° Inserta	71T5590B



item	reference
107°	75T1550
107° Inserta	75T1590B
110° soft-close	71B3550



item	reference
170°	71T6550
170° Inserta	71T6540B



item	reference
95° blind corner	79T9550
95° Inserta	79T9590B
95° soft-close	79B9550



item	reference
60° corner bi-fold	79T8500



item	reference
45° angled overlay	79T5550



item	reference
155° 0-protrusion	71T7500B



item	reference
95° profile	71T9550
95° inset profile	71T9750
95° soft-close inset	71B9750
95° s-close profile	71B9550


MOUNTING PLATES



item	reference
0mm	173H7100
3mm	173H7130



item	reference
0mm+euro screws	173L8100
3mm+euro screws	173L8130



item	reference
0mm	173L6100



item	reference
0mm	175H7100
3mm	175H7130
18mm	175H7190.22



item	reference
0mm die-cast	175H9100
3mm die-cast	175H9130




item	reference
0mm die-cast horiz.	175M5400

COVER CAPS



item	reference
cover cap	70.1503



item	reference
boss cover cap	70T1504
boss for s-close	70T3504

other hinges and mounting plates available on request

BLUMOTION FOR HINGES



item	reference
straight	973A0500.01



item	reference
cranked	973A0600



item	reference
double cranked	973A0700



item	reference
wide angle	973A6000
0° protrusion	973A7000

BLUMOTION FOR DOORS



item	reference
piston	970.1002



item	reference
adaptor plastic	970.1501
adaptor metal	970.5501

TIP-ON FOR DOORS

works with unsprung hinges



item	reference
38mm projection	955A1004



item	reference
Inline adaptor	955.1201



item	reference
cruciform adaptor	955.1501

TIP-ON FOR DRAWERS

for 30Kg non soft-close runners



item	reference
piston	T55.7150

AVENTOS FOR WOODEN DOORS

HS - up and over lift system



HF - bi-fold lift system



HL - lift-up lift system



HK - stay lift system



information required for ordering:
door width
door height
combined weight of door and handle

lighting

LED

lighting



NEW



MOONLIGHT

- round recessed light with 30 LEDs and diffuser
- available in warm white
- brushed nickel casing
- 63mm diameter overall
- requires 58mm diameter hole with 12mm recess
- high efficiency 3Watts
- requires 12V DC power driver
- with 2.5m connection cable
- available with spacer to enable surface mounting

item	reference
3W Moonlight recessed 3000°K	21400018500
spacer	21400048500
12V power driver 6W - 4 way	12504690100
12V power driver 15W - 12 way	12500560101
12V power driver 20W - 12 way	12504700100
12V power driver 30W - 12 way	12500850101



SUNNY HE SURFACE MOUNTED

- round surface mounted light with 18 LEDs
- available in cool white or warm white
- brushed nickel casing
- 58mm diameter
- high efficiency 1.3Watts
- requires 12V DC power driver
- with 2.5m connection cable
- dimmer switch available as optional extra

item	reference
1.3W Sunny HE 5000°K	12802249101
1.3W Sunny HE 3200°K	12802239101
12V power driver 6W - 4 way	12504690100
12V power driver 15W - 12 way	12500560101
12V power driver 20W - 12 way	12504700100
12V power driver 30W - 12 way	12500850101



SUNNY HE RECESSED

- round recessed light with 18 LEDs
- available in cool white or warm white
- brushed nickel casing
- 63mm diameter overall
- requires 58mm diameter hole with 12mm recess
- high efficiency 1.3Watts
- requires 12V DC power driver
- with 2.5m connection cable
- dimmer switch available as optional extra

item	reference
1.3W Sunny HE recessed 5000°K	12802479101
1.3W Sunny HE recessed 3200°K	12802469101
12V power driver 6W - 4 way	12504690100
12V power driver 15W - 12 way	12500560101
12V power driver 20W - 12 way	12504700100
12V power driver 30W - 12 way	12500850101

LUGANO

- surface mounted rear/top fixing LED strip light for under-cupboard use with diffuser
- 3000°K warm white
- brushed nickel casing
- 20d x 15h
- requires 12V DC power driver
- with 3m connection cable

item	reference
450mm Lugano 4.4W 3000°K	20600211200BN
600mm Lugano 6.1W 3000°K	20600221200BN
900mm Lugano 9.6W 3000°K	20600231200BN
12V power driver 6W - 4 way	12504690100
12V power driver 15W - 12 way	12500560101
12V power driver 20W - 12 way	12504700100
12V power driver 30W - 12 way	12500850101



RETTANGOLO

- surface mounted, brushed nickel, cool white LED spot
- integrated temperature control
- 150d x 25w x 10h
- high efficiency 1.2Watts
- requires 240V AC 350mA power driver
- with 1m connection cable
- dimmer switch available as optional extra

item	reference
1.2W Rettangolo+ 2m cord 6000°K	16100019101
1m male / male connection cord	12804130100
2m male / male connection cord	12804140100
0.5m male / female extension	12804070100
1m male / female extension	12804080100
2m male / female extension	12804090100
350mA power driver 6W - 1 way	12503540100
350mA power driver 12W - 1 way	12503550100



RE-LIGHT


- surface mounted LED light with sensor and rechargeable battery
- battery duration 20 hours continuous use – equivalent to 3600 cycles of 20 seconds
- recharge time 4 hours
- sensor detection distance 2m

item	reference
Re-Light 0.4w 9 LEDs 3400°K	13300209100
USB to mini USB charging cable	USB1
3-pin plug with USB connection	3PIN



wardrobe
solutions

solutions





WALK-IN WARDROBE SYSTEM AND ACCESSORIES

- introducing our unique range of leather clad walk-in wardrobe accessories
- hand made in Italy using a combination of leather and eco-leather to suit your customer specification
- all components are easily positioned on the uprights and can be repositioned at any time
- the system comprises of metal uprights and a range of various accessories in widths of 600mm or 900mm
- available in six standard colour combinations

PLEASE CALL FOR FURTHER INFORMATION AND DETAILED CATALOGUE



dark brown
crocodile effect
leather



dark brown leather
with lilac stitching



ivory tortoise shell
effect leather



ivory leather with
beige stitching



black crocodile
effect leather



black leather with
grey stitching



white crocodile
effect leather



white leather with
grey stitching



natural ostrich effect
leather



natural leather with
tobacco stitching



red crocodile effect
leather



white leather with
grey stitching

CURVED SHELF

- available in 600 or 900mm widths
- depth 500mm



BIG BOX

- available in 600 or 900mm widths
- depth 500mm



BAG HOLDER

- available in 600 or 900mm widths
- depth 500mm



SHELF


- available in 600 or 900mm widths
- depth 500mm





TROUSER HANGER

- available in 600 or 900mm widths
- depth 500mm



GLASS SHELF

- available in 600 or 900mm widths
- depth 500mm



SHOE HOLDER

- available in 600 or 900mm widths
- depth 500mm



SHELF WITH TIE RACK

- available in 650 or 950mm widths
- depth 500mm

WARDROBE BOXES

- available in three sizes
- with or without lid
- depth 500mm



COAT HANGER

- leather hanger with wooden insert



STOOL

- size 440 x 400 x 360mm



CHEST OF DRAWERS

- drawers with soft-close runners
- may be used suspended from uprights or on castors
- internal dividers available



handles

handles

handles





ARBAR KNOB

centres	length	finish	reference
-	51mm	polished nickel	ARBAR22/PNP



ARBAR

centres	length	finish	reference
73mm	102mm	polished nickel	ARBAR24/PNP
123mm	152mm	polished nickel	ARBAR26/PNP
173mm	204mm	polished nickel	ARBAR28/PNP
224mm	254mm	polished nickel	ARBAR210/PNP



BAKES OVAL KNOB

centres	length	finish	reference
32mm	45mm	polished nickel	BBFK02/PNP
38mm	50mm	polished nickel	BBFK01/PNP



BAKES RANGE

centres	length	finish	reference
100mm	130mm	polished nickel	BBF05/PNP
126mm	150mm	polished nickel	BBF04/PNP
150mm	180mm	polished nickel	BBF03/PNP
203mm	240mm	polished nickel	BBF02/PNP
318mm	375mm	polished nickel	BBF01/PNP

CAMBRIDGE FACE-FIX PULL

centres	length	finish	reference
–	163mm	polished nickel	4040/PNP



CORONA KNOB

centres	length	finish	reference
–	38mm dia.	polished nickel	4058B/PNP
–	50mm dia.	polished nickel	4058C/PNP



JEFFERSON KNOB

centres	length	finish	reference
–	32mm	polished nickel	JEFK01/PNP
–	38mm	polished nickel	JEFK02/PNP



JEFFERSON RANGE

centres	length	finish	reference
102mm	126mm	polished nickel	JEF04/PNP
152mm	178mm	polished nickel	JEF06/PNP
203mm	228mm	polished nickel	JEF08/PNP
305mm	336mm	polished nickel	JEF12/PNP





QUESLETT KNOB

centres	length	finish	reference
-	32mm dia.	polished nickel	3169A/PNP
-	38mm dia.	polished nickel	3169B/PNP



QUESLETT ROUND KNOB

centres	length	finish	reference
-	34mm dia.	polished nickel	QKB/PNP



QUESLETT RANGE

centres	length	finish	reference
40mm	64mm	polished nickel	Q40/PNP
96mm	107mm	polished nickel	Q96/PNP
203mm	228mm	polished nickel	Q203/PNP



QUESLETT FACE-FIX CUP

centres	length	finish	reference
-	95mm	polished nickel	2174/PNP

QUESLETT CARD FRAME

centres	length	finish	reference
–	95mm	polished nickel	2541/PNP



GLOBE KNOB

centres	length	finish	reference
–	32mm dia.	polished nickel	2324C/PNP
–	38mm dia.	polished nickel	2324D/PNP



SNOWDRIFT KNOB

centres	length	finish	reference
–	46mm	polished nickel	DRFTK/PNP



SNOWDRIFT

centres	length	finish	reference
64mm	107mm	polished nickel	DRFT107/PNP
160mm	182mm	polished nickel	DRFT187/PNP
224mm	280mm	polished nickel	DRFT280/PNP





DOME – POLISHED NICKEL

centres	length	finish	reference
-	25mm dia.	polished nickel	4063B/PNP
-	32mm dia.	polished nickel	4063C/PNP
-	38mm dia.	polished nickel	4063D/PNP



BUN – POLISHED NICKEL

centres	length	finish	reference
-	19mm dia.	polished nickel	300419/PNP
-	25mm dia.	polished nickel	300425/PNP
-	32mm dia.	polished nickel	300432/PNP
-	38mm dia.	polished nickel	300438/PNP



OXFORD – POLISHED NICKEL

centres	length	finish	reference
76mm	90mm	polished nickel	3090A/PNP



CAMBRIDGE – POLISHED NICKEL

centres	length	finish	reference
-	98mm	polished nickel	3097A/PNP

DOME – SATIN NICKEL

centres	length	finish	reference
-	25mm dia.	satin nickel	4063B/SNP
-	32mm dia.	satin nickel	4063C/SNP
-	38mm dia.	satin nickel	4063D/SNP



BUN – SATIN NICKEL

centres	length	finish	reference
-	19mm dia.	satin nickel	300419/SNP
-	25mm dia.	satin nickel	300425/SNP
-	32mm dia.	satin nickel	300432/SNP
-	38mm dia.	satin nickel	300438/SNP



OXFORD – SATIN NICKEL

centres	length	finish	reference
76mm	90mm	satin nickel	3090A/SNP



CAMBRIDGE – SATIN NICKEL

centres	length	finish	reference
-	98mm	satin nickel	3097A/SNP





DOME – ANTIQUE BRASS

centres	length	finish	reference
-	25mm dia.	antique brass	4063B/A
-	32mm dia.	antique brass	4063C/A
-	38mm dia.	antique brass	4063D/A



BUN – ANTIQUE BRASS

centres	length	finish	reference
-	19mm dia.	antique brass	300419/A
-	25mm dia.	antique brass	300425/A
-	32mm dia.	antique brass	300432/A
-	38mm dia.	antique brass	300438/A



OXFORD – ANTIQUE BRASS

centres	length	finish	reference
76mm	90mm	antique brass	3090A/A

CAMBRIDGE – ANTIQUE BRASS

centres	length	finish	reference
-	98mm	antique brass	3097A/A



DOME – BURNISHED BRASS

centres	length	finish	reference
-	25mm dia.	burnished brass	4063B/BEL
-	32mm dia.	burnished brass	4063C/BEL
-	38mm dia.	burnished brass	4063D/BEL



BUN – BURNISHED BRASS

centres	length	finish	reference
-	19mm dia.	burnished brass	300419/BEL
-	25mm dia.	burnished brass	300425/BEL
-	32mm dia.	burnished brass	300432/BEL
-	38mm dia.	burnished brass	300438/BEL



OXFORD – BURNISHED BRASS

centres	length	finish	reference
76mm	90mm	burnished brass	3090A/BEL



CAMBRIDGE – BURNISHED BRASS

centres	length	finish	reference
-	98mm	burnished brass	3097A/BEL





COUNTRY KNOB

centres	length	finish	reference
-	35mm dia.	Britannium	C62-35BT
-	40mm dia.	Britannium	C63-40BT
-	45mm dia.	Britannium	C63-45BT



COUNTRY CUP

centres	length	finish	reference
90mm	115mm	Britannium	C65-88BT



COUNTRY D

centres	length	finish	reference
64mm	90mm	Britannium	C70-64BT
96mm	122mm	Britannium	C70-96BT
128mm	154mm	Britannium	C71-128BT
160mm	186mm	Britannium	C71-160BT
305mm	331mm	Britannium	C72-305BT
457mm	483mm	Britannium	C73-457BT



COUNTRY OVAL KNOB

centres	length	finish	reference
-	48mm	Britannium	C64-48BT

DIAMOND BACKPLATE

centres	length	finish	reference
-	70mm	Britannium	BHR-70BT



image shows C62-35BT
knob on backplate

RECTANGULAR BACKPLATE

centres	length	finish	reference
-	70mm	Britannium	BHRE-70-35BT



image shows C63-45BT
knob on backplate

ROUND BACKPLATE

centres	length	finish	reference
-	40mm dia.	Britannium	BHT-40BT



image shows PoTL-40BT
knob on backplate

SQUARE BACKPLATE

centres	length	finish	reference
-	40mm sq.	Britannium	BHQ-40BT



image shows C63-40BT
knob on backplate



PICHIATO SMALL ROUND

centres	length	finish	reference
-	30mm dia.	Britannium	PoTL-30BT



PICHIATO LARGE ROUND

centres	length	finish	reference
-	40mm dia.	Britannium	PoTL-40BT



PICHIATO KNOB

centres	length	finish	reference
-	40mm	Britannium	HD10BT



PICHIATO HANDLE

centres	length	finish	reference
128mm	168mm	Britannium	HD09BT
160mm	210mm	Britannium	HD08BT
224mm	275mm	Britannium	HD07BT
305mm	355mm	Britannium	HD06BT

MARTELLATA ROUND

centres	length	finish	reference
-	45mm dia.	Britannium	G08-45BT



MARTELLATA KNOB

centres	length	finish	reference
-	45mm	Britannium	G01-30X45BT



MARTELLATA CUP

centres	length	finish	reference
96mm	112mm	Britannium	G05-96BT



MARTELLATA HANDLE

centres	length	finish	reference
128mm	140mm	Britannium	G07-128BT
160mm	172mm	Britannium	G07-160BT





CONCHIQLIA SQUARE KNOB

centres	length	finish	reference
-	35mm	Britannium	PoPLO-35BT square



CONCHIQLIA KNOB

centres	length	finish	reference
-	45mm	Britannium	PoPLO-45BT oval
-	35mm dia	Britannium	PoPLT-35BT round
-	40mm dia	Britannium	PoPLT-40BT round



CONCHIQLIA CUP

centres	length	finish	reference
66mm	86mm	Britannium	MaCO-66BT



CONCHIQLIA D

centres	length	finish	reference
132mm	172mm	Britannium	MaCO-132BT
300mm	385mm	Britannium	MaCO-300BT

CHEMIN DE FER KNOB

centres	length	finish	reference
-	45mm	Britannium	Po8-45BT
-	55mm	Britannium	Po8-55BT



CHEMIN DE FER

centres	length	finish	reference
64mm	99mm	Britannium	Ma8-64BT
96mm	128mm	Britannium	Ma8-96BT
128mm	170mm	Britannium	Ma8-128BT
224mm	282mm	Britannium	Ma8-224BT
384mm	425mm	Britannium	Ma8-384BT
512mm	554mm	Britannium	Ma8-512BT



POMOLINI KNOB

centres	length	finish	reference
-	35mm	Britannium	PolN-35BT
-	45mm	Britannium	PolN-45BT
-	60mm	Britannium	PolN-60BT



POMOLINI D

centres	length	finish	reference
96mm	108mm	Britannium	MaL-96BT
128mm	140mm	Britannium	MaL-128BT





ARBORIA KNOB

centres	length	finish	reference
-	45mm dia.	white bronze	POET6-45WB



ARBORIA HANDLE

centres	length	finish	reference
96mm	143mm	white bronze	T83-96WB
160mm	190mm	white bronze	T84-160WB
305mm	395mm	white bronze	T85-305WB



ETNICI KNOB

centres	length	finish	reference
-	47mm dia.	white bronze	POET5-47WB



ETNICI SLIM KNOB

centres	length	finish	reference
-	47mm dia.	white bronze	POET8-47WB

OVALE KNOB

centres	length	finish	reference
-	48mm	white bronze	Po2-48WB



OVALE D

centres	length	finish	reference
128mm	150mm	white bronze	Ma2-128WB
254mm	274mm	white bronze	Ma2-254WB
457mm	485mm	white bronze	Ma2-457WB



QUADRA KNOB

centres	length	finish	reference
-	33mm	white bronze	PoQU-33WB



QUADRA D

centres	length	finish	reference
96mm [^]	105mm	white bronze	MaQU-96WB
160mm [^]	170mm	white bronze	MaQU-160WB
305mm [^]	313mm	white bronze	MaQU-305WB
457mm [†]	472mm	white bronze	MaQU-457WB
457mm [‡]	472mm	white bronze	Ma12-457WB
[^] 10mm square bar [†] 13mm square bar [‡] 17mm square bar			





COUNTRY KNOB WHITE BRONZE

centres	length	finish	reference
-	35mm dia.	white bronze	C62-35WB
-	40mm dia.	white bronze	C63-40WB
-	45mm dia.	white bronze	C63-45WB



COUNTRY CUP WHITE BRONZE

centres	length	finish	reference
90mm	115mm	white bronze	C65-88WB



COUNTRY D WHITE BRONZE

centres	length	finish	reference
96mm	122mm	white bronze	C70-96WB
128mm	154mm	white bronze	C71-128WB
160mm	186mm	white bronze	C71-160WB
305mm	331mm	white bronze	C72-305WB
457mm	483mm	white bronze	C73-457WB
600mm	655mm	white bronze	C74-600WB



image shows C63-40WB knob on diamond backplate

COUNTRY BACKPLATE WHITE BRONZE

centres	length	finish	reference
-	40mm dia.	white bronze	BHT-40WB round
-	70mm	white bronze	BHR-70WB diamond
-	40mm sq.	white bronze	BHQ-40WB square
-	70mm	white bronze	BHRE-70-35WB rectangle
reference number refers to back plate only			

COUNTRY KNOB ANTIQUE BRONZE

centres	length	finish	reference
-	35mm dia.	antique bronze	C62-35AZ
-	40mm dia.	antique bronze	C63-40AZ
-	45mm dia.	antique bronze	C63-45AZ



COUNTRY CUP ANTIQUE BRONZE

centres	length	finish	reference
90mm	115mm	antique bronze	C65-88AZ



COUNTRY D ANTIQUE BRONZE

centres	length	finish	reference
96mm	122mm	antique bronze	C70-96AZ
128mm	154mm	antique bronze	C71-128AZ
160mm	186mm	antique bronze	C71-160AZ
305mm	331mm	antique bronze	C72-305AZ
457mm	483mm	antique bronze	C73-457AZ
600mm	655mm	white bronze	C74-600AZ



COUNTRY BACKPLATE ANTIQUE BRONZE

centres	length	finish	reference
-	40mm dia.	antique bronze	BHT-40AZ round
-	70mm	antique bronze	BHR-70AZ diamond
-	40mm sq.	antique bronze	BHQ-40AZ square
-	70mm	antique bronze	BHRE-70-35AZ rectangle
reference number refers to back plate only			



image shows C63-40AZ knob on diamond backplate



COUNTRY KNOB OLD PEWTER

centres	length	finish	reference
-	35mm dia.	old pewter	C62-35OPW
-	40mm dia.	old pewter	C63-40OPW
-	45mm dia.	old pewter	C63-45OPW



COUNTRY CUP OLD PEWTER

centres	length	finish	reference
90mm	115mm	old pewter	C65-88OPW

COUNTRY D OLD PEWTER

centres	length	finish	reference
96mm	122mm	old pewter	C70-96OPW
128mm	154mm	old pewter	C71-128OPW
160mm	186mm	old pewter	C71-160OPW
305mm	331mm	old pewter	C72-305OPW
457mm	483mm	old pewter	C73-457OPW

COUNTRY BACKPLATE OLD PEWTER

centres	length	finish	reference
-	40mm dia.	old pewter	BHT-40OPW round
-	70mm	old pewter	BHR-70OPW diamond
-	40mm sq.	old pewter	BHQ-40OPW square
-	70mm	old pewter	BHRE-70-35OPW rectangle
reference number refers to back plate only			



image shows C63-40OPW knob on diamond backplate

COUNTRY KNOB NATURAL BRONZE

centres	length	finish	reference
-	35mm dia.	natural bronze	C62-35NB
-	40mm dia.	natural bronze	C63-40NB
-	45mm dia.	natural bronze	C63-45NB
COUNTRY RANGE AVAILABLE IN THIS FINISH			



COUNTRY KNOB AGED IRON

centres	length	finish	reference
-	35mm dia.	aged iron	C62-35AI
-	40mm dia.	aged iron	C63-40AI
-	45mm dia.	aged iron	C63-45AI
COUNTRY RANGE AVAILABLE IN THIS FINISH			



COUNTRY KNOB AGED SILVER

centres	length	finish	reference
-	35mm dia.	aged silver	C62-35AS
-	40mm dia.	aged silver	C63-40AS
-	45mm dia.	aged silver	C63-45AS
COUNTRY RANGE AVAILABLE IN THIS FINISH			



COUNTRY KNOB BLACK

centres	length	finish	reference
-	35mm dia.	black	C62-35BLK
-	40mm dia.	black	C63-40BLK
-	45mm dia.	black	C63-45BLK
COUNTRY RANGE AVAILABLE IN THIS FINISH			





ARRAN

centres	length	finish	reference
96mm	176mm	iron	IRC3744-96
128mm	208mm	iron	IRC3744-128
160mm	240mm	iron	IRC3744-160



BORDEAUX KNOB

centres	length	finish	reference
-	25mm	iron	IRC3624-25
-	32mm	iron	IRC3624-32
-	35mm	iron	IRC3624-35
-	48mm	iron	IRC3624-48



CLIFTON

centres	length	finish	reference
32mm	96mm	iron	IRC3597 latch
32mm	51mm	iron	IRC3644-32
64mm	124mm	iron	IRC3597-64
128mm	188mm	iron	IRC3597-128



GEORGE

centres	length	finish	reference
-	32mm dia	iron	IRC3849-32 knob
128mm	177mm	iron	IRC3850-128
224mm	268mm	iron	IRC3850-224
96mm	145mm	iron	IRC3851-96 cup

GOTHIC

centres	length	finish	reference
96mm	105mm	iron	IRC3649 latch
128mm	138mm	iron	IRC3650-128
160mm	170mm	iron	IRC3650-160
-	24mm dia	iron	IRC3651 knob
64mm	89mm	iron	IRC3652 cup



JUPITER

centres	length	finish	reference
224mm	250mm	iron	IRC3740 drop
64mm	116mm	iron	IRC3742 cup
128mm	154mm	iron	IRC3741-128
224mm	250mm	iron	IRC3741-224
320mm	346mm	iron	IRC3741-320



JUPITER KNOB

centres	length	finish	reference
-	34mm dia	iron	IRC3738-34 knob
-	38mm dia	iron	IRC3738-38 knob
-	86mm	iron	IRC3739-T knob



MAYFAIR

centres	length	finish	reference
-	36mm	iron	IRC3672 knob
32mm	58mm	iron	IRC3672-32
96mm	132mm	iron	IRC3673-96
128mm	164mm	iron	IRC3673-128
160mm	196mm	iron	IRC3673-160
192mm	228mm	iron	IRC3673-192
224mm	260mm	iron	IRC3673-224
320mm	356mm	iron	IRC3673-320





SALAMANDER

centres	length	finish	reference
-	25mm dia	iron	IRC3755-25 knob
-	35mm dia	iron	IRC3755-35 knob
-	55mm dia	iron	IRC3755-55 knob
64mm	86mm	iron	IRC3793-64
96mm	118mm	iron	IRC3793-96



SHERWOOD

centres	length	finish	reference
96mm	160mm	iron	IRC3669-96
128mm	192mm	iron	IRC3669-128
160mm	224mm	iron	IRC3669-160
96mm	147mm	iron	IRC3670 latch



TELFORD

centres	length	finish	reference
-	30mm	iron	IRC3928-30 knob
64mm	79mm	iron	IRC3912-64
128mm	143mm	iron	IRC3912-128
160mm	175mm	iron	IRC3912-160
224mm	239mm	iron	IRC3912-224



VIGO

centres	length	finish	reference
96mm	114mm	iron	IRC3846-96
128mm	148mm	iron	IRC3846-128
160mm	180mm	iron	IRC3846-160
224mm	240mm	iron	IRC3846-224

WARWICK CUP

centres	length	finish	reference
64mm	100mm	iron	IRC3172 cup

centres	length	finish	reference
64mm	102mm	iron - smooth	IRC3173 cup



WARWICK KNOB

centres	length	finish	reference
-	34mm dia	iron - mottled	IRC3320-34
-	38mm dia	iron - mottled	IRC3320-38
-	34mm dia	iron - smooth	IRC3379-34
-	38mm dia	iron - smooth	IRC3379-38



WARWICK MOTTLED

centres	length	finish	reference
-	34mm dia	iron	IRC2866-34 knob
-	38mm dia	iron	IRC2866-38 knob
64mm	106mm	iron	IRC3077 latch
96mm	150mm	iron	IRC3078



WARWICK LATCH

centres	length	finish	reference
128mm	190mm	iron	IRC3078/3324B/PL
128mm	190mm	iron	IRC3319/3324B/PL
128mm	137mm	iron	IRC3319 latch



WARWICK D

centres	length	finish	reference
128mm	146mm	iron - smooth	IRC3174

centres	length	finish	reference
128mm	146mm	iron - smooth	IRC3175





BOOMERANG

centres	length	finish	reference
96mm	116mm	satin nickel	12807.B16S
160mm	180mm	satin nickel	12807.G16S
320mm	340mm	satin nickel	12807.N16S



BOOMERANG 2

centres	length	finish	reference
96mm	136mm	satin nickel	U12833.B16S
160mm	200mm	satin nickel	U12833.G16S
320mm	360mm	satin nickel	U12833.N16S



BRIDGE

centres	length	finish	reference
96mm	110mm	satin nickel	12643.B16S
160mm	174mm	satin nickel	U12643.G16S
320mm	340mm	satin nickel	U12643.N16S
480mm	500mm	satin nickel	12643.T16S



KEYHOLE KNOB

centres	length	finish	reference
-	25mm	st. steel	24052



KEYHOLE BAR

centres	length	finish	reference
128mm	153mm	st. steel	2090128.36D.16
160mm	185mm	st. steel	2090160.36D.16
192mm	217mm	st. steel	2090192.36D.16
256mm	281mm	st. steel	2090256.36D.16
320mm	345mm	st. steel	2090320.36D.16
352mm	377mm	st. steel	2090352.36D.16
416mm	441mm	st. steel	2090416.36D.16
480mm	505mm	st. steel	2090480.36D.16
580mm	605mm	st. steel	2090580.36D.16
681mm	706mm	st. steel	2090681.36D.16
749mm	774mm	st. steel	2090749.36D.16
780mm	805mm	st. steel	2090780.36D.16
870mm	895mm	st. steel	2090870.36D.16

OVAL BAR

centres	length	finish	reference
160mm	168mm	st. steel	2690160.36D.16S
320mm	328mm	st. steel	2690320.36D.16S
640mm	648mm	st. steel	2690640.36D.16S
800mm	808mm	st. steel	2690800.36D.16S



SQUARE BAR

centres	length	finish	reference
165mm	180mm	satin nickel	U2970165.36D
315mm	330mm	satin nickel	U2970315.36D
465mm	480mm	satin nickel	U2970465.36D
765mm	780mm	satin nickel	U2970765.36D



SLIMLINE BAR

centres	length	finish	reference
160mm	188mm	st. steel	3650160.36D.16S
320mm	348mm	st. steel	3650320.36D.16S
640mm	668mm	st. steel	3650640.36D.16S
800mm	828mm	st. steel	3650800.36D.16S



WILLOW

centres	length	finish	reference
96mm	110mm	satin nickel	12796.B16S
160mm	174mm	satin nickel	12796.G16S
320mm	334mm	satin nickel	12796.N16S



WAVE

centres	length	finish	reference
96mm	134mm	satin nickel	U12852.B16S
160mm	198mm	satin nickel	U12852.G16S
320mm	358mm	satin nickel	U12852.N16S





AMIER

centres	length	finish	reference
160mm	195mm	satin nickel	WMN163.160.0003



APERIO

centres	length	finish	reference
32mm	54mm	satin nickel	WMN300.032.0003
64mm	90mm	satin nickel	WMN300.064.0003



DARAL

centres	length	finish	reference
64mm	80mm	satin nickel	WMN126.064.0003
96mm	112mm	satin nickel	WMN126.096.0003
128mm	160mm	satin nickel	WMN126.128.0003
192mm	208mm	satin nickel	WMN126.192.0003



DELOS

centres	length	finish	reference
64mm	90mm	satin nickel	WMN132.064.0003
96mm	122mm	satin nickel	WMN132.096.0003
128mm	154mm	satin nickel	WMN132.128.0003
160mm	186mm	satin nickel	WMN132.160.0003



DERIAN

centres	length	finish	reference
128mm	136mm	satin nickel	WMN169.128.0003
160mm	168mm	satin nickel	WMN169.160.0003

EKLISIA

centres	length	finish	reference
160mm	194mm	satin nickel	WMN134.160.0003



ELKAN

centres	length	finish	reference
160mm	178mm	satin nickel	WMN106.160.0003



EMAIA

centres	length	finish	reference
128mm	135mm	satin nickel	WMN107.128.0003



ERTOS

centres	length	finish	reference
128mm	198mm	satin nickel	WMN153.128.0003
160mm	244mm	satin nickel	WMN153.160.0003



GLOR

centres	length	finish	reference
160mm	224mm	satin nickel	WMN192.160.0003





HERAM

centres	length	finish	reference
192mm	232mm	satin nickel	WMN136.192.0003



LYRA

centres	length	finish	reference
128mm	162mm	satin nickel	WMN101.128.0003



LARES

centres	length	finish	reference
192mm	205mm	satin nickel	WMN020.192.0003
256mm	268mm	satin nickel	WMN020.256.0003



NABIT

centres	length	finish	reference
160mm	225mm	satin nickel	WMN154.160.0003



PAVOS

centres	length	finish	reference
64mm	88mm	satin nickel	WMN128.064.0003
96mm	120mm	satin nickel	WMN128.096.0003
128mm	152mm	satin nickel	WMN128.128.0003
160mm	184mm	satin nickel	WMN128.160.0003
192mm	216mm	satin nickel	WMN128.192.0003

RAKU

centres	length	finish	reference
96mm	132mm	satin nickel	WMN142.096.0003
128mm	168mm	satin nickel	WMN142.128.0003



SOTTILE

centres	length	finish	reference
160mm	170mm	satin nickel	WMN001.160.0003
192mm	200mm	satin nickel	WMN001.192.0003
320mm	330mm	satin nickel	WMN001.320.0003



SYRTHA

centres	length	finish	reference
64mm	94mm	satin nickel	WMN130.064.0003
96mm	126mm	satin nickel	WMN130.096.0003
128mm	166mm	satin nickel	WMN130.128.0003
160mm	186mm	satin nickel	WMN130.160.0003



TORRE

centres	length	finish	reference
16mm	38mm	satin nickel	WPO119.016.0003



VOLO

centres	length	finish	reference
128mm	172mm	satin nickel	WMN102.128.0003





SATIN KNOB 23932

centres	length	finish	reference
-	36mm dia.	satin nickel	23932.A16S



SATIN KNOB 23933

centres	length	finish	reference
-	44mm	satin nickel	23933.A16S



SATIN KNOB 24065

centres	length	finish	reference
-	44mm	satin nickel	24065.A16S



SATIN KNOB 12540

centres	length	finish	reference
-	40mm	satin nickel	12540.E16S

CHROME DROP

centres	length	finish	reference
160mm	170mm	polished chrome	12955.G260
320mm	330mm	polished chrome	12955.N260



CHROME SLIMLINE BAR

centres	length	finish	reference
128mm	136mm	polished chrome	U12861.A260
192mm	200mm	polished chrome	U12861.H260
320mm	328mm	polished chrome	U12861.N260



CHROME RIBBON

centres	length	finish	reference
160mm	170mm	polished chrome	U12922.G260
320mm	330mm	polished chrome	U12922.N260



CHROME SPEAR

centres	length	finish	reference
160mm	174mm	polished chrome	U12846.G260
320mm	334mm	polished chrome	U12846.N260





SWAROVSKI SQUARE KNOB

centres	length	finish	reference
-	12mm	pol. chrome/crystal	WPO550.000.KR02
-	12mm	satin nickel/crystal	WPO550.000.KR03



SWAROVSKI SQUARE TAB

centres	length	finish	reference
16mm	25mm	pol. chrome/crystal	WPO550.016.KR02
16mm	25mm	satin nickel/crystal	WPO550.016.KR03
32mm	49mm	pol. chrome/crystal	WPO550.032.KR02
32mm	49mm	satin nickel/crystal	WPO550.032.KR03



SWAROVSKI SQUARE D

centres	length	finish	reference
96mm	107mm	pol. chrome/crystal	WMN550.096.KR02
96mm	107mm	satin nickel/crystal	WMN550.096.KR03
128mm	140mm	pol. chrome/crystal	WMN550.128.KR02
128mm	140mm	satin nickel/crystal	WMN550.128.KR03



SWAROVSKI CHEQUER

centres	length	finish	reference
16mm	27mm	satin nickel/crystal	WPO640.016.KR03
32mm	65mm	satin nickel/crystal	WPO640.032.KR03
96mm	120mm	satin nickel/crystal	WMN640.096.KR03
128mm	150mm	satin nickel/crystal	WMN640.128.KR03



SWAROVSKI CHEQUER BLACK

centres	length	finish	reference
16mm	27mm	pol. chrome/crystal	WPO640.016.BK02
32mm	65mm	pol. chrome/crystal	WPO640.032.BK02
96mm	120mm	pol. chrome/crystal	WMN640.096.BK02
128mm	150mm	pol. chrome/crystal	WMN640.128.BK02

SWAROVSKI ROUND KNOB

centres	length	finish	reference
-	17mm	pol. chrome/crystal	WPO633.017.KR02
-	17mm	satin nickel/crystal	WPO633.017.KR03



SWAROVSKI ROUND HANDLE

centres	length	finish	reference
32mm	48mm	pol. chrome/crystal	WPO633.B32.KR02
32mm	48mm	satin nickel/crystal	WPO633.B32.KR03
64mm	80mm	pol. chrome/crystal	WPO633.A64.KR02
64mm	80mm	satin nickel/crystal	WPO633.A64.KR03



SWAROVSKI ROUND D

centres	length	finish	reference
32mm	48mm	pol. chrome/crystal	WPO633.C32.KR02
32mm	48mm	satin nickel/crystal	WPO633.C32.KR03
96mm	112mm	pol. chrome/crystal	WMN633.096.KR02
96mm	112mm	satin nickel/crystal	WMN633.096.KR03
128mm	144mm	pol. chrome/crystal	WMN633.128.KR02
128mm	144mm	satin nickel/crystal	WMN633.128.KR03



SWAROVSKI STYLE D

centres	length	finish	reference
32mm	48mm	pol. chrome/crystal	WMN667.032.KR02
96mm	112mm	pol. chrome/crystal	WMN667.096.KR02
128mm	142mm	pol. chrome/crystal	WMN667.128.KR02
16mm	-	pol. chrome/crystal	WPN667.016.KR02



SWAROVSKI SLIMLINE

centres	length	finish	reference
128mm	135mm	pol. chrome/crystal	WMN335K128.KR02
320mm	325mm	pol. chrome/crystal	WMN335K320.KR02





VISION KNOB

centres	length	finish	reference
-	40mm	satin nickel/glass	24133.E16S.010



VISION HANDLE

centres	length	finish	reference
160mm	240mm	satin nickel/glass	5120160.16S.010
320mm	400mm	satin nickel/glass	5120320.16S.010



BRACELET TAB

centres	length	finish	reference
16mm	95mm	silver zinc	12817.E260.14



CRYSTAL BALL

centres	length	finish	reference
-	30mm dia.	pol. chrome/glass	WPO680.030.KR02
-	45mm dia.	pol. chrome/glass	WPO680.045.KR02



CRYSTAL BULB

centres	length	finish	reference
-	33mm dia.	pol. chrome/glass	WPO678.R33.KR02
-	45mm dia.	pol. chrome/glass	WPO678.R45.KR02

ANGLE

centres	length	finish	reference
192mm	208mm	oak laq.	7623-45-01-200
192mm	208mm	walnut laq.	7623-70-01-200



BRIDGE WOOD

centres	length	finish	reference
224mm	282mm	oak laq.	7660-45-01-200
224mm	282mm	walnut laq.	7660-70-01-200
320mm	360mm	oak laq.	7560-45-01-200
320mm	360mm	walnut laq.	7560-70-01-200



RADIO

centres	length	finish	reference
-	25mm dia	oak laq.	4345-45-01-200
-	25mm dia	walnut laq.	4345-70-01-200
-	48mm dia	oak laq.	4346-45-01-200
-	48mm dia	walnut laq.	4346-70-01-200
-	60mm dia	oak laq.	4347-45-01-200
-	60mm dia	walnut laq.	4347-70-01-200



SQUARE 20

centres	length	finish	reference
192mm	202mm	walnut laq.	7508-70-01-200
224mm	233mm	zebrano laq.	7509-87-01-200



SQUARE KOMBI L

centres	length	finish	reference
224mm	236mm	oak laq.	7518-45-01-200



chairs and stools

stools
chairs





CIGNO

- gas-lift stool with padded seat and back, chrome frame
- seat height 590/850mm
- back height 760/1020mm
- width 430mm
- depth 470mm
- available in a wide choice of colours
- reference FSG053



DIAMANTE

- gas-lift stool with padded seat and back, chrome frame
- seat height 580/820mm
- back height 790/1020mm
- width 430mm
- depth 470mm
- available in a wide choice of colours
- reference FSG054



VANITY

- gas-lift stool with wooden seat and back with contrasting ecoleather pads, chrome frame
- seat height 550/830mm
- back height 740/1000mm
- width 420mm
- depth 450mm
- available in a wide choice of colours
- reference FSG060

DUNA

- fixed height stool with padded seat and back, chrome frame
- back height 870mm
- width 430mm
- depth 560mm
- available in a wide choice of colours
- reference FSG051



MILLA

- fixed height stool with plasticised textile seat and back, chrome frame
- back height 950mm
- width 460mm
- depth 530mm
- available in grey or black
- reference FSG039



TULIPANO

- fixed height stool with padded seat and back, chrome frame
- back height 920mm
- width 450mm
- depth 560mm
- available in a wide choice of colours
- reference FSG062





DUNA

- fixed height chair with padded seat and back, chrome frame
- also available with arms
- back height 850mm
- width 430mm
- depth 560mm
- available in a wide choice of colours
- reference FSD I 60 - without arms
- reference FSD I 61 - with arms



MILLA

- fixed height chair with plasticised textile seat and back, chrome frame
- back height 860mm
- width 460mm
- depth 550mm
- available in grey or black
- reference FSD028



TULIPANO

- fixed height chair with padded seat and back, chrome frame
- back height 920mm
- width 450mm
- depth 560mm
- available in a wide choice of colours
- reference FSD I 65

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

product information

2014